



Healthy Youth Survey 2016

Report of Results

Henry M. Jackson High School (Everett School District)
Grades 10 and 12

March 1, 2017

Looking Glass Analytics
215 Legion Way SW
Olympia, WA 98502

More information about the Healthy Youth Survey is available at www.AskHYS.net

Report Contents

Introduction and Overview	2
Survey Participation in this Report	2
Caution about Participation Rates and Bias	2
Small Numbers: Caution about Number of Students Participating	2
Key to the Notes	2
Highlights of the Local Results	3
Understanding Your Report	4
N's	4
Confidence Intervals	5
More Information	5
Individual Question Results	6
Demographics and General Information (Questions 1-15)	6
Alcohol, Tobacco, and Other Drug (ATOD) Use	8
Lifetime Use (Questions 16-25)	8
30-Day Use (Questions 26-36)	9
Other Tobacco-Related Questions (Questions 37-47)	11
Other Electronic Cigarette- and Vaping Related Questions (Questions 48-51)	12
Other Alcohol-Related Questions (Questions 52-62)	13
Other Marijuana-Related Questions (Questions 63-69)	15
Other Alcohol- and Drug-related Questions (Questions 70-75)	16
Other Health Concerns	17
Nutrition and Fitness (Questions 76-96)	17
Health Conditions and Health Care (Questions 97-102)	21
Sexual Behavior (Questions 103-106)	21
Behaviors Related to Unintentional Injuries (Questions 107-117)	22
Behaviors Related to Intentional Injuries (Questions 118-124)	24
Physical, Emotional and Sexual Abuse (Questions 125-129)	25
Mental Health (Questions 130-140)	25
Social and Emotional Learning (Questions 141-144)	27
Gambling (Question 145)	27
School Climate (Questions 146-161)	27
Quality of Life (Questions 162-168)	30
Risk and Protective Factors	32
Risk and Protective Factor: Reporting Schedule	32
Risk and Protective Factor: Domain Scale Results and Graphs	33
Risk and Protective Factor: Individual Question Results	37
Community Domain (Questions 169-185)	37
Family Domain (Questions 186-203)	39
School Domain (Questions 204-221)	41
Peer and Individual Domain (Questions 222-252)	43
Questions by Topic	49
Core Questions	50

For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.

Henry M. Jackson High School (Everett School District)

Grades 10 and 12

Introduction and Overview

This report presents results from the fall 2016 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health, the Office of Superintendent of Public Instruction, the Department of Social and Health Services and the Liquor and Cannabis Board in cooperation with schools throughout the state of Washington.

This Multiple Grade Report does not provide comparisons to the state. To compare your results to the state sample, see the Multiple Grade State Sample Report for grades 6, 8, 10 and 12. This report is available at: <http://www.askhys.net/Reports> under State Reports.

Survey questions covering the same topics are grouped together when possible but be sure to consult the index for related questions when you are searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site: <http://www.askhys.net/Reports/Additional>.

Survey Participation in this Report

	<u>Grade 10</u>	<u>Grade 12</u>
Number of students surveyed:	493	312
Number of valid responses:	478	290
Number of enrolled students*:	581	530
Your survey participation rate**:	82%	55%

* The estimate of enrolled students is based on figures from the 2016-2017 school year, provided by OSPI.

** The survey participation rate is the number of valid responses divided by the number of enrolled students.

Note: Results not available for non-surveyed grades or grades suppressed for under-participation. See Past Participation for details: <http://www.askhys.net/Past>

Caution about Participation Rates and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

For example, if 20 students answered a question and of those 20 only 3 students answered "Yes", the estimate is unreliable.

See the Understanding Your Report section later in this report for a discussion of "confidence intervals" to help guide your interpretation of the results.

Key to the Notes

Three versions of the survey were used in the administration of the 2016 HYS. Forms A and B were given to secondary students (grades 8, 9, 10, 11 and 12 in some small school districts). Six questions on sexual orientation, behavior and abuse were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. Form C was given to elementary students (grade 6 and 7 in some small school districts).

A list of the topics asked and their location in the report are provided in the Questions by Topic section at the end of this report. "Core" questions are asked on both Forms A and B, a list of Core Questions is also found at the end of this report.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the optional questions:

A = wording on Form A; B = wording on Form B; C = wording on Form C


† = optional questions

Highlights of the Local Results

Your students reported the following behaviors and attitudes:


Substance Use

	Grade 10 % (\pm CI)	Grade 12 % (\pm CI)
Smoked cigarettes in past 30 days	5.0% (\pm 2.0)	5.9% (\pm 2.8)
Drank alcohol in past 30 days	15.1% (\pm 3.2)	28.4% (\pm 5.3)
Used marijuana or hashish in past 30 days	14.7% (\pm 3.2)	18.7% (\pm 4.6)
Binge drinking in past 2 weeks	7.2% (\pm 2.3)	14.2% (\pm 4.1)



Bullying and School Climate

	Grade 10 % (\pm CI)	Grade 12 % (\pm CI)
Carried a weapon at school in the past 30 days	2.1% (\pm 1.3)	5.3% (\pm 2.6)
Bullied in the past 30 days	18.9% (\pm 3.5)	16.7% (\pm 4.3)
Enjoyed being at school over the past year	32.7% (\pm 4.3)	28.4% (\pm 5.3)
Felt safe at school	83.3% (\pm 3.4)	86.5% (\pm 4.0)




For more information on specific HYS topics, see the Fact Sheets at www.AskHYS.net, under HYS Results – Fact Sheets

Understanding Your Report

N's

In this report "n" is shorthand for "number"---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



How many students took this survey?

Look on page 2, under Survey Participation. The "number of students surveyed" is the number of surveys that we received. We have careful procedures for "cleaning" to remove surveys with many inconsistent or false answers – the "clean" surveys are the "number of valid surveys". Only valid surveys are presented in this report.

How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are two versions of the grades 8, 10, and 12 survey – Form A and B. Core questions are on all versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core questions the n's will be about half, or less.
- Some schools chose to take the questions about sexual orientation, behavior and abuse. Schools that chose to not ask those additional questions will have no responses for those questions. [District and county reports may include some schools that DID ask those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

17. Have you ever, even once in your life: Used marijuana?

	(n=398)	(n=400)
a. Yes	49.0% (±3.0)	46.0% (±1.0)
b. No	51.0% (±3.0)	54.0% (±1.0)

N for a core question
(almost all students)

18. Have you ever, even once in your life: Used inhalants (things you sniff to get high)?

	(n=200)	(n=190)
a. Yes	11.0% (±4.0)	12.0% (±2.0)
b. No	89.0% (±4.0)	88.0% (±2.0)

N for a question on only one
version (about half the
students)

100. How old were you when you had sexual intercourse for the first time?†

	(n=100)	(n=99)
a. I have never had sexual intercourse.	70.0% (±8.0)	75.0% (±4.0)
b. 11 years old or younger	2.0% (±2.0)	2.0% (±1.0)
c. 12 years old	2.0% (±2.0)	1.0% (±1.0)
d. 13 years old	5.0% (±2.0)	4.0% (±1.0)
e. 14 years old	8.0% (±6.0)	7.0% (±2.0)
f. 15 years old	9.0% (±5.0)	8.0% (±2.0)
g. 16 years old	3.0% (±3.0)	2.0% (±1.0)
h. 17 years old or older	1.0% (±1.0)	1.0% (±1.0)

N for an optional sexual
behavior question (about
half, or less if some schools
chose not to ask those
questions)

150. Does your school have a counselor

	(n=375)	(n=380)
a. Yes	90.0% (±3.0)	95.0% (±1.0)
b. No	5.0% (±2.0)	2.0% (±1.0)
c. Not sure	5.0% (±2.0)	3.0% (±1.0)

N for a core question near
the end of the survey
(almost all, except students
who don't finish the survey)

How many students are we talking about?

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

For example, in a district if 10% of students reported that "Yes" they used inhalants in their lifetime and 200 students answered the questions, then 20 students in the district used inhalants (200×0.10).

Confidence Intervals

It is unlikely that the point estimate (%) reported for each question is *exactly* the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is no bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% ($\pm 1.5\%$), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – as more students answer a question, your point estimate is likely to be closer to the "true" value. If you are a small school, district or county your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

How can you "use" confidence intervals?


CIs help you to decide if the differences between your students at different grade levels are statistically significant.

For an example, let's say your 8th Grade students report 25% $\pm 5\%$. That means that the CI is between 20% and 30%. Here is the math: $25\% - 5\% = 20\%$, and $25\% + 5\% = 30\%$

Using CIs, you can decide if the difference between your 8th grade and 10th grade students are statistically significant:

1. A significant difference:

- 8th Grade students report 25% $\pm 5\%$, so the point estimate is 25% and the CI is 20% to 30%
- 10th Grade students report 36% $\pm 3\%$, so the point estimate is 36% and the CI is 33% to 39%
- The CIs don't overlap, so the difference *is* significant



2. Not a significant difference:

- 8th Grade students report 25% $\pm 5\%$, so the point estimate is 25% and the CI is 20% to 30%
- 10th Grade students report 28% $\pm 3\%$, so the point estimate is 28% and the CI is 25% to 31%
- The CI for your 8th Grade students overlaps the point estimate for 10th Grade students, so the difference *is not* significant



3. Not sure if there is a difference:

- 8th Grade students report 25% $\pm 5\%$, so the point estimate is 25% and the CI is 20% to 30%
- 10th Grade students report 32% $\pm 3\%$, so the point estimate is 32% and the CI is 29% to 35%
- The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really different without using the significance testing tool described in the next paragraph.



More information about interpreting CIs is available on the HYS Training web page at www.AskHYS.net/Training. The Training web page includes past HYS training materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

More Information

Much of the information on the Healthy Youth Survey is available online at www.AskHYS.net.

- Under HYS Results, you can find these "Frequency Reports". Also included is the 2012 Interpretive Guide with a detailed overview of the reports, information on statistical issues and how to use your data. There are also topical fact sheets and a data query system where you can run your own simple analysis.
- Under Training, there are copies of past HYS training workshop materials and the tool for testing significant differences.

Technical information is also at www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey.

Frequency Results

Demographics and General Information

	Grade 10	Grade 12
	% (± CI) (n=476)	% (± CI) (n=290)
1. How old are you?		
a. 12 or younger	0.4% (±0.6)	0.0% (±0.0)
b. 13	0.0% (±0.0)	0.0% (±0.0)
c. 14	1.3% (±1.0)	0.0% (±0.0)
d. 15	79.0% (±3.7)	0.0% (±0.0)
e. 16	18.9% (±3.5)	1.7% (±1.5)
f. 17	0.2% (±0.4)	78.3% (±4.8)
g. 18	0.2% (±0.4)	19.3% (±4.6)
h. 19 or older	0.0% (±0.0)	0.7% (±1.0)

[Question 2 appears only on the elementary version of the survey.]

	(n=475)	(n=290)
3. Are you:		
a. Female	50.9% (±4.5)	52.1% (±5.8)
b. Male	49.1% (±4.5)	47.9% (±5.8)

	(n=477)	(n=289)
4. How do you describe yourself? (Select one or more responses.)		
a. American Indian or Alaskan Native	1.3% (±1.0)	0.7% (±1.0)
b. Asian or Asian American	21.4% (±3.7)	14.2% (±4.0)
c. Black or African-American	4.6% (±1.9)	4.5% (±2.4)
d. Hispanic or Latino/Latina	6.5% (±2.2)	8.7% (±3.3)
e. Native Hawaiian or other Pacific Islander	2.5% (±1.4)	1.7% (±1.5)
f. White or Caucasian	51.4% (±4.5)	58.5% (±5.7)
g. Other	6.1% (±2.2)	4.5% (±2.4)
More than one race/ethnicity marked	6.3% (±2.2)	7.3% (±3.0)

	(n=213)	(n=130)
5. If you are of Asian or Pacific Islander background, which groups best describe you? Mark all that apply.		
a. Not Asian or Pacific Islander	68.1% (±6.3)	74.6% (±7.6)
b. Asian Indian	5.2% (±3.0)	0.8% (±1.5)
c. Cambodian/Khmer	0.9% (±1.3)	0.8% (±1.5)
d. Chinese	1.9% (±1.8)	2.3% (±2.6)
e. Filipino	4.2% (±2.7)	2.3% (±2.6)
f. Japanese	2.8% (±2.2)	1.5% (±2.1)
g. Korean	6.1% (±3.2)	6.9% (±4.4)
h. Vietnamese	4.2% (±2.7)	4.6% (±3.7)
i. Other Asian	2.8% (±2.2)	1.5% (±2.1)
j. Native Hawaiian or other Pacific Islander	1.9% (±1.8)	0.8% (±1.5)
Mutliracial Asian, more than one response indicated	1.9% (±1.8)	3.1% (±3.0)
Mutliracial Asian and Pacific Islander, more than one response indicated	0.0% (±0.0)	0.8% (±1.5)

	Grade 10	Grade 12
	% (± CI) (n=471)	% (± CI) (n=284)
6. What language is usually spoken at home?		
a. English	78.1% (±3.7)	79.6% (±4.7)
b. Spanish	4.5% (±1.9)	4.6% (±2.4)
c. Russian	1.1% (±0.9)	0.4% (±0.7)
d. Ukrainian	0.6% (±0.7)	2.1% (±1.7)
e. Vietnamese	1.9% (±1.2)	2.1% (±1.7)
f. Chinese	2.3% (±1.4)	1.8% (±1.5)
g. Korean	3.8% (±1.7)	2.8% (±1.9)
h. Japanese	0.4% (±0.6)	0.7% (±1.0)
i. Other	7.2% (±2.3)	6.0% (±2.8)

[Question 7 appears only on the elementary version of the survey.]

	(n=469)	(n=281)
8. How far did your mother get in school?		
a. Did not finish high school	5.8% (±2.1)	6.4% (±2.9)
b. Graduated from high school or GED	13.9% (±3.1)	22.4% (±4.9)
c. Had some college or technical training after high school	20.0% (±3.6)	21.0% (±4.8)
d. Graduated from a 4-year college	33.9% (±4.3)	30.6% (±5.4)
e. Earned an advanced graduate degree	15.4% (±3.3)	10.7% (±3.6)
f. Don't know	9.0% (±2.6)	6.4% (±2.9)
g. Does not apply	2.1% (±1.3)	2.5% (±1.8)

	(n=0)	(n=0)
9. Which of the following best describes you? †		
a. Heterosexual (straight)	**	**
b. Gay or lesbian	**	**
c. Bisexual	**	**
d. Not sure	**	**

	(n=470)	(n=285)
10. Who did you live with most of the time in the last 30 days?		
a. Parent(s) and/or step-parent(s)	96.0% (±1.8)	95.1% (±2.5)
b. Relatives - like a grandparent, an aunt, an older brother - but NOT your parents	1.9% (±1.2)	2.5% (±1.8)
c. Foster care parent(s)	0.9% (±0.8)	1.1% (±1.2)
d. An adult friend(s) of your family	0.4% (±0.6)	0.4% (±0.7)
e. Friends of yours with no adults present	0.4% (±0.6)	0.4% (±0.7)
f. On your own	0.2% (±0.4)	0.0% (±0.0)
g. Other	0.2% (±0.4)	0.7% (±1.0)

	(n=471)	(n=285)
11. Where did you live most of the time in the last 30 days?		
a. In my own house or apartment that my family rents or owns	97.2% (±1.5)	95.4% (±2.4)
b. In someone else's house or apartment with another family	1.5% (±1.1)	1.1% (±1.2)
c. In a group home	0.4% (±0.6)	0.7% (±1.0)
d. In a shelter	0.4% (±0.6)	1.4% (±1.4)
e. In a car, park, or campground	0.0% (±0.0)	0.0% (±0.0)
f. On the street	0.2% (±0.4)	0.7% (±1.0)
g. Moved from place to place	0.2% (±0.4)	0.4% (±0.7)
h. Other	0.0% (±0.0)	0.4% (±0.7)

	(n=471)	(n=285)
12. Are your current living arrangements the result of losing your home because your family cannot afford housing?		
a. No	89.6% (±2.8)	93.3% (±2.9)
b. Yes	6.4% (±2.2)	5.6% (±2.7)
c. Not sure	4.0% (±1.8)	1.1% (±1.2)

	Grade 10	Grade 12
	% (± CI) (n=237)	% (± CI) (n=143)
13. Do you receive free or reduced price lunches at school?		
a. Yes	77.2% (±5.4)	75.5% (±7.1)
b. No	18.1% (±4.9)	16.8% (±6.2)
c. Not sure	4.6% (±2.7)	7.7% (±4.4)
14. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?	(n=233)	(n=142)
a. No	78.1% (±5.3)	81.7% (±6.4)
b. Yes	18.5% (±5.0)	16.2% (±6.1)
c. Not sure	3.4% (±2.4)	2.1% (±2.4)
15. How honest were you in filling out this survey?	(n=442)	(n=264)
a. I was very honest.	82.1% (±3.6)	74.2% (±5.3)
b. I was honest pretty much of the time.	16.1% (±3.4)	22.3% (±5.1)
c. I was honest some of the time	1.8% (±1.2)	3.4% (±2.2)
d. I was honest once in a while.		surveys pulled
e. I was not honest at all.		surveys pulled

Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug (ATOD) use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

Lifetime Use

Have you ever, even once in your life:

16. Smoked a cigarette, even just a puff? (Computed from question 227)	(n=233)	(n=136)
a. No	89.7% (±3.9)	80.9% (±6.7)
b. Yes	10.3% (±3.9)	19.1% (±6.7)
17. Smoked a whole cigarette? (Computed from question 47)	(n=242)	(n=147)
a. No	93.4% (±3.2)	92.5% (±4.3)
b. Yes	6.6% (±3.2)	7.5% (±4.3)
18. Drank more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from question 18 or 228)	(n=475)	(n=282)
a. No	58.9% (±4.4)	44.0% (±5.8)
b. Yes	41.1% (±4.4)	56.0% (±5.8)
19. Used marijuana? (Computed from question 19 or 226)	(n=473)	(n=281)
a. No	79.9% (±3.6)	65.1% (±5.6)
b. Yes	20.1% (±3.6)	34.9% (±5.6)
20. Used inhalants (things you sniff to get high)?	(n=233)	(n=135)
a. No	94.0% (±3.1)	95.6% (±3.5)
b. Yes	6.0% (±3.1)	4.4% (±3.5)
21. Used heroin?	(n=233)	(n=135)
a. No	95.3% (±2.7)	98.5% (±2.1)
b. Yes	4.7% (±2.7)	1.5% (±2.1)

	Grade 10	Grade 12
	% (± CI) (n=233)	% (± CI) (n=135)
22. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.		
a. No	95.3% (±2.7)	97.0% (±2.9)
b. Yes	4.7% (±2.7)	3.0% (±2.9)
23. Used cocaine?	(n=233)	(n=135)
a. No	94.8% (±2.9)	96.3% (±3.2)
b. Yes	5.2% (±2.9)	3.7% (±3.2)
24. Used steroids (muscle builders) without a doctor's prescription?	(n=232)	(n=135)
a. No	96.1% (±2.5)	97.0% (±2.9)
b. Yes	3.9% (±2.5)	3.0% (±2.9)

[Question 25 appears only on the elementary version of the survey.]

30-Day Use (Use in the Past 30 Days)

During the past 30 days, on how many days did you:

	(n=477)	(n=286)
26. Smoke cigarettes?		
a. None	95.0% (±2.0)	94.1% (±2.8)
b. 1-2 days	2.3% (±1.4)	1.7% (±1.5)
c. 3-5 days	0.8% (±0.8)	1.7% (±1.5)
d. 6-9 days	0.2% (±0.4)	1.0% (±1.2)
e. 10-29 days	1.3% (±1.0)	0.7% (±1.0)
f. All 30 days	0.4% (±0.6)	0.7% (±1.0)
<i>Any use in past 30 days</i>	5.0% (±2.0)	5.9% (±2.8)
27. Use chewing tobacco, snuff, or dip?	(n=243)	(n=147)
a. None	98.8% (±1.4)	98.6% (±1.9)
b. 1-2 days	0.4% (±0.8)	0.0% (±0.0)
c. 3-5 days	0.0% (±0.0)	0.7% (±1.3)
d. 6-9 days	0.0% (±0.0)	0.7% (±1.3)
e. 10-29 days	0.0% (±0.0)	0.0% (±0.0)
f. All 30 days	0.8% (±1.1)	0.0% (±0.0)
<i>Any use in past 30 days</i>	1.2% (±1.4)	1.4% (±1.9)
28. Smoke cigars, cigarillos, or little cigars?	(n=243)	(n=147)
a. None	96.7% (±2.3)	96.6% (±3.0)
b. 1-2 days	1.6% (±1.6)	0.7% (±1.3)
c. 3-9 days	0.0% (±0.0)	1.4% (±1.9)
d. 10-29 days	0.8% (±1.1)	1.4% (±1.9)
e. All 30 days	0.8% (±1.1)	0.0% (±0.0)
<i>Any use in past 30 days</i>	3.3% (±2.3)	3.4% (±3.0)
29. Use an electronic cigarette, also called e-cigs, or vape pens?	(n=242)	(n=147)
a. None	81.8% (±4.9)	76.2% (±7.0)
b. 1-2 days	7.4% (±3.3)	7.5% (±4.3)
c. 3-5 days	4.5% (±2.6)	3.4% (±3.0)
d. 6-9 days	2.1% (±1.8)	3.4% (±3.0)
e. 10-19 days	1.7% (±1.6)	2.0% (±2.3)
f. 20-29 days	1.2% (±1.4)	2.7% (±2.7)
g. All 30 days	1.2% (±1.4)	4.8% (±3.5)
<i>Any use in past 30 days</i>	18.2% (±4.9)	23.8% (±7.0)

	Grade 10	Grade 12
	% (\pm CI) (n=241)	% (\pm CI) (n=147)
30. Smoke tobacco or flavored tobacco in a hookah, even just a puff?		
a. None	96.3% (\pm 2.4)	95.2% (\pm 3.5)
b. 1-2 days	2.1% (\pm 1.8)	2.7% (\pm 2.7)
c. 3-9 days	0.8% (\pm 1.2)	0.7% (\pm 1.3)
d. 10-29 days	0.0% (\pm 0.0)	0.0% (\pm 0.0)
e. All 30 days	0.8% (\pm 1.2)	1.4% (\pm 1.9)
<i>Any use in past 30 days</i>	3.7% (\pm 2.4)	4.8% (\pm 3.5)

During the past 30 days, on how many days did you:

	(n=476)	(n=285)
31. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?		
a. None	84.9% (\pm 3.2)	71.6% (\pm 5.3)
b. 1-2 days	9.2% (\pm 2.6)	16.8% (\pm 4.4)
c. 3-5 days	4.2% (\pm 1.8)	5.6% (\pm 2.7)
d. 6-9 days	1.3% (\pm 1.0)	3.5% (\pm 2.1)
e. 10 or more days	0.4% (\pm 0.6)	2.5% (\pm 1.8)
<i>Any use in past 30 days</i>	15.1% (\pm 3.2)	28.4% (\pm 5.3)

	(n=476)	(n=284)
32. Use marijuana or hashish (weed, hash, pot)?		
a. None	85.3% (\pm 3.2)	81.3% (\pm 4.6)
b. 1-2 days	5.7% (\pm 2.1)	7.4% (\pm 3.1)
c. 3-5 days	2.1% (\pm 1.3)	3.5% (\pm 2.2)
d. 6-9 days	1.5% (\pm 1.1)	1.8% (\pm 1.5)
e. 10-19 days	1.7% (\pm 1.2)	1.8% (\pm 1.5)
f. 20-29 days	2.7% (\pm 1.5)	0.7% (\pm 1.0)
g. All 30 days	1.1% (\pm 0.9)	3.5% (\pm 2.2)
<i>Any use in past 30 days</i>	14.7% (\pm 3.2)	18.7% (\pm 4.6)

	(n=234)	(n=137)
33. Not counting alcohol, tobacco, or marijuana, use another illegal drug?		
a. None	94.0% (\pm 3.1)	94.2% (\pm 4.0)
b. 1-2 days	3.0% (\pm 2.2)	3.6% (\pm 3.2)
c. 3-5 days	0.9% (\pm 1.2)	0.7% (\pm 1.4)
d. 6-9 days	1.7% (\pm 1.7)	0.7% (\pm 1.4)
e. 10 or more days	0.4% (\pm 0.8)	0.7% (\pm 1.4)
<i>Any use in past 30 days</i>	6.0% (\pm 3.1)	5.8% (\pm 4.0)

	(n=234)	(n=137)
34. Use any illegal drug, including marijuana? (Computed from questions 32 and 33)		
None	83.8% (\pm 4.8)	78.1% (\pm 7.0)
<i>Any use in past 30 days</i>	16.2% (\pm 4.8)	21.9% (\pm 7.0)

	(n=476)	(n=285)
35. Use a pain killer TO GET HIGH, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?		
a. None	95.2% (\pm 1.9)	95.4% (\pm 2.4)
b. 1-2 days	2.7% (\pm 1.5)	2.5% (\pm 1.8)
c. 3-5 days	1.3% (\pm 1.0)	1.1% (\pm 1.2)
d. 6-9 days	0.4% (\pm 0.6)	1.1% (\pm 1.2)
e. 10 or more days	0.4% (\pm 0.6)	0.0% (\pm 0.0)
<i>Any use in past 30 days</i>	4.8% (\pm 1.9)	4.6% (\pm 2.4)

	Grade 10	Grade 12
	% (± CI) (n=234)	% (± CI) (n=138)
36. Use prescription drugs not prescribed to you?		
a. None	92.3% (±3.4)	92.0% (±4.6)
b. 1-2 days	5.1% (±2.8)	3.6% (±3.2)
c. 3-5 days	0.4% (±0.8)	2.2% (±2.5)
d. 6-9 days	0.9% (±1.2)	0.0% (±0.0)
e. 10 or more days	1.3% (±1.5)	2.2% (±2.5)
<i>Any use in past 30 days</i>	7.7% (±3.4)	8.0% (±4.6)

Other Tobacco-Related Questions

37. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	(n=237)	(n=141)
a. 0 days	81.4% (±5.0)	78.7% (±6.8)
b. 1-2 days	9.7% (±3.8)	10.6% (±5.2)
c. 3-4 days	3.4% (±2.3)	5.0% (±3.6)
d. 5-6 days	1.3% (±1.4)	2.1% (±2.4)
e. 7 days	4.2% (±2.6)	3.5% (±3.1)

[Question 38 appears only on the elementary version of the survey.]

39. Which of these best describes the rules about smoking inside the house where you live? Smoking is...	(n=237)	(n=141)
a. Never allowed inside my house	89.0% (±4.0)	88.7% (±5.3)
b. Allowed only at some times or in some places	9.3% (±3.7)	7.1% (±4.3)
c. Always allowed inside my house	1.7% (±1.7)	4.3% (±3.4)

40. If one of your best friends offered you a cigarette, would you smoke it?	(n=237)	(n=141)
a. Definitely no	81.9% (±4.9)	80.1% (±6.7)
b. Probably no	11.8% (±4.1)	12.8% (±5.6)
c. Probably yes	5.1% (±2.8)	4.3% (±3.4)
d. Definitely yes	1.3% (±1.4)	2.8% (±2.8)

41. Do you think that you will smoke a cigarette anytime in the next year?	(n=235)	(n=141)
a. Definitely no	82.6% (±4.9)	75.9% (±7.1)
b. Probably no	11.5% (±4.1)	19.1% (±6.6)
c. Probably yes	4.3% (±2.6)	3.5% (±3.1)
d. Definitely yes	1.7% (±1.7)	1.4% (±2.0)

42. Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking.	(n=237)	(n=141)
a. Yes, not susceptible	78.1% (±5.3)	73.0% (±7.4)
b. No, susceptible	21.9% (±5.3)	27.0% (±7.4)

43. During the past 12 months, have you ever tried to quit using tobacco (cigarettes, cigars, chew/dip)?	(n=236)	(n=141)
a. I did not use tobacco during the past 12 months	93.2% (±3.2)	84.4% (±6.1)
b. Yes	0.8% (±1.2)	2.8% (±2.8)
c. No	5.9% (±3.0)	12.8% (±5.6)

	Grade 10	Grade 12
44. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.)	% (± CI) (n=234)	% (± CI) (n=140)
a. I did not use tobacco during the past 30 days	96.6% (±2.3)	92.9% (±4.3)
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	1.7% (±1.7)	2.9% (±2.8)
c. I bought it from a vending machine	0.0% (±0.0)	1.4% (±2.0)
d. I gave someone else money to buy them for me	0.9% (±1.2)	0.0% (±0.0)
e. I borrowed (or bummed) them from someone else	0.9% (±1.2)	0.0% (±0.0)
f. A person 18 years old or older gave them to me	0.0% (±0.0)	1.4% (±2.0)
g. I took them from a store or a family member	0.0% (±0.0)	0.0% (±0.0)
h. I got them some other way	0.0% (±0.0)	1.4% (±2.0)
45. How wrong do your friends feel it would be for you to: Use tobacco?	(n=220)	(n=128)
a. Very wrong	72.7% (±5.9)	57.8% (±8.7)
b. Wrong	17.3% (±5.0)	24.2% (±7.5)
c. A little bit wrong	5.9% (±3.1)	7.0% (±4.5)
d. Not at all wrong	4.1% (±2.6)	10.9% (±5.5)
46. During the past 30 days, on how many days did you use tobacco (cigarettes, cigars, or chew/dip) on school property?	(n=235)	(n=141)
a. 0 days	98.7% (±1.4)	95.0% (±3.6)
b. 1-2 days	0.4% (±0.8)	0.7% (±1.4)
c. 3-9 days	0.4% (±0.8)	0.7% (±1.4)
d. 10-29 days	0.0% (±0.0)	2.8% (±2.8)
e. All 30 days	0.4% (±0.8)	0.7% (±1.4)
47. How old were you the first time you smoked a whole cigarette?	(n=242)	(n=147)
a. Never have	93.4% (±3.2)	92.5% (±4.3)
b. 10 or younger	0.4% (±0.8)	0.0% (±0.0)
c. 11	0.8% (±1.1)	0.0% (±0.0)
d. 12	0.8% (±1.1)	0.7% (±1.3)
e. 13	0.4% (±0.8)	0.0% (±0.0)
f. 14	2.5% (±2.0)	0.0% (±0.0)
g. 15	1.7% (±1.6)	1.4% (±1.9)
h. 16	0.0% (±0.0)	2.7% (±2.7)
i. 17 or older	0.0% (±0.0)	2.7% (±2.7)

Other Electronic Cigarette- and Vaping-Related Questions

48. During the past 30 days, on how many days did you: Use an electronic cigarette, also called e-cigs, or vape pens on school property?	(n=236)	(n=141)
a. 0 days	92.4% (±3.4)	88.7% (±5.3)
b. 1 - 2 days	3.8% (±2.5)	4.3% (±3.4)
c. 3 - 9 days	1.3% (±1.4)	2.8% (±2.8)
d. 10 - 29 days	0.8% (±1.2)	2.8% (±2.8)
e. All 30 days	1.7% (±1.7)	1.4% (±2.0)

	Grade 10	Grade 12
	% (± CI) (n=234)	% (± CI) (n=140)
49. During the past 30 days, what type of substances did you use in an electronic cigarette, also called e-cigs, or vape pens?		
a. I did not use an electronic cigarette.	82.5% (±4.9)	75.7% (±7.2)
b. Liquid with nicotine in it	5.6% (±3.0)	11.4% (±5.3)
c. Liquid with THC (marijuana) in it	1.7% (±1.7)	2.9% (±2.8)
d. Liquid with flavor only (no nicotine or THC)	6.8% (±3.3)	6.4% (±4.1)
e. Don't know	0.9% (±1.2)	0.7% (±1.4)
More than one response indicated.	2.6% (±2.0)	2.9% (±2.8)
50. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.)	(n=233)	(n=139)
a. I did not use electronic vapor products during the past 30 days.	82.0% (±5.0)	76.3% (±7.2)
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station.	1.7% (±1.7)	6.5% (±4.1)
c. I got them on the Internet.	1.3% (±1.5)	2.2% (±2.4)
d. I gave someone else money to buy them for me.	2.6% (±2.0)	4.3% (±3.4)
e. I borrowed (or bummed) them from someone else.	6.9% (±3.3)	5.8% (±3.9)
f. A person 18 years old or older gave them to me.	0.9% (±1.2)	1.4% (±2.0)
g. I took them from a store or family member.	0.0% (±0.0)	0.0% (±0.0)
h. I got them some other way.	4.7% (±2.7)	3.6% (±3.1)
51. How much do you think people risk harming themselves if they use electronic cigarettes, also called e-cigs or vape pens regularly (almost daily)?	(n=233)	(n=139)
a. No risk	12.9% (±4.3)	12.9% (±5.7)
b. Slight risk	18.9% (±5.1)	19.4% (±6.7)
c. Moderate risk	33.5% (±6.1)	33.8% (±8.0)
d. Great risk	26.6% (±5.7)	28.1% (±7.6)
e. Not sure	8.2% (±3.5)	5.8% (±3.9)

Other Alcohol-Related Questions

52. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	(n=473)	(n=282)
a. None	92.8% (±2.3)	85.8% (±4.1)
b. Once	3.2% (±1.6)	8.5% (±3.3)
c. Twice	1.7% (±1.2)	1.8% (±1.5)
d. 3-5 times	1.3% (±1.0)	2.5% (±1.8)
e. 6-9 times	0.2% (±0.4)	0.4% (±0.7)
f. 10 or more times	0.8% (±0.8)	1.1% (±1.2)
53. Drinking Categories Variable (computed from questions 31 and 52)	(n=473)	(n=282)
No drinking past 30 days and no binge past 2 weeks	83.3% (±3.4)	69.5% (±5.4)
1-2 days drinking past 30 days and no binge past 2 weeks	8.0% (±2.5)	11.7% (±3.8)
3-5 days drinking past 30 days and/or 1 binge past 2 weeks	4.2% (±1.8)	10.3% (±3.6)
6+ days drinking past 30 days and/or 2+ binge past 2 weeks	4.4% (±1.9)	8.5% (±3.3)

	Grade 10	Grade 12
	% (± CI) (n=223)	% (± CI) (n=128)
54. During the past 30 days, what type of alcohol did you usually drink?		
a. I did not drink alcohol during the past 30 days.	83.0% (±5.0)	72.7% (±7.8)
b. I do not have a usual type.	0.9% (±1.2)	7.0% (±4.5)
c. Beer	0.9% (±1.2)	2.3% (±2.7)
d. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	3.1% (±2.3)	6.3% (±4.3)
e. Wine coolers, such as Bartles & Jaymes or Seagrams	1.3% (±1.5)	0.0% (±0.0)
f. Wine	0.9% (±1.2)	3.1% (±3.1)
g. Liquor, such as vodka, rum, scotch, bourbon or whiskey	9.4% (±3.9)	7.8% (±4.7)
h. Some other type	0.4% (±0.9)	0.8% (±1.5)
55. During the past 30 days, how did you get alcohol (beer, wine or hard liquor)? Choose all that apply.	(n=226)	(n=130)
a. I did not get alcohol in the past 30 days.	82.3% (±5.0)	76.2% (±7.4)
b. I bought it from a store.	0.4% (±0.9)	1.5% (±2.1)
c. I stole it from a store.	2.2% (±1.9)	2.3% (±2.6)
d. I got it from friends.	9.7% (±3.9)	11.5% (±5.6)
e. I got it at a party.	5.8% (±3.1)	8.5% (±4.8)
f. I got it from an older brother or sister.	0.9% (±1.2)	1.5% (±2.1)
g. I gave money to someone to get it for me.	3.1% (±2.3)	4.6% (±3.7)
h. I took it from home without my parents' permission.	2.2% (±1.9)	4.6% (±3.7)
i. I got it at home with my parents' permission.	3.1% (±2.3)	3.8% (±3.3)
j. I got it some other way.	2.2% (±1.9)	3.8% (±3.3)
56. NOT including talks on drinking and driving, in the past year have your parents or guardians talked to you about why you should not drink alcohol?	(n=234)	(n=142)
a. Yes, a number of times	33.3% (±6.1)	31.0% (±7.7)
b. Yes, once	25.2% (±5.6)	21.8% (±6.9)
c. No	30.3% (±5.9)	33.1% (±7.8)
d. I don't remember.	11.1% (±4.1)	14.1% (±5.8)
57. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?	(n=235)	(n=141)
a. Very wrong	91.9% (±3.5)	80.1% (±6.7)
b. Wrong	5.5% (±2.9)	14.9% (±5.9)
c. A little bit wrong	2.1% (±1.9)	2.8% (±2.8)
d. Not wrong at all	0.4% (±0.8)	2.1% (±2.4)
58. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?	(n=226)	(n=130)
a. 0 days	96.5% (±2.4)	98.5% (±2.1)
b. 1-2 days	2.2% (±1.9)	0.0% (±0.0)
c. 3-9 days	0.4% (±0.9)	0.8% (±1.5)
d. 10-29 days	0.0% (±0.0)	0.0% (±0.0)
e. All 30 days	0.9% (±1.2)	0.8% (±1.5)
59. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?	(n=219)	(n=129)
a. Very wrong	65.8% (±6.3)	46.5% (±8.7)
b. Wrong	19.2% (±5.3)	27.1% (±7.8)
c. A little bit wrong	9.1% (±3.8)	14.0% (±6.1)
d. Not at all wrong	5.9% (±3.2)	12.4% (±5.8)

	Grade 10	Grade 12
	% (± CI) (n=229)	% (± CI) (n=133)
60. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly?		
a. Very wrong	10.0% (±3.9)	9.0% (±4.9)
b. Wrong	30.1% (±6.0)	16.5% (±6.4)
c. A little bit wrong	43.2% (±6.5)	45.9% (±8.6)
d. Not wrong at all	16.6% (±4.9)	28.6% (±7.8)
61. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week?	(n=235)	(n=142)
a. No risk	0.4% (±0.8)	2.8% (±2.8)
b. Slight risk	3.4% (±2.3)	7.0% (±4.3)
c. Moderate risk	25.5% (±5.6)	30.3% (±7.6)
d. Great risk	63.8% (±6.2)	56.3% (±8.3)
e. Not sure	6.8% (±3.2)	3.5% (±3.1)
62. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	(n=228)	(n=134)
a. Neither approve nor disapprove	15.4% (±4.7)	19.4% (±6.8)
b. Somewhat disapprove	16.2% (±4.8)	27.6% (±7.7)
c. Strongly disapprove	61.4% (±6.4)	47.0% (±8.6)
d. Don't know or can't say	7.0% (±3.3)	6.0% (±4.1)

Other Marijuana-Related Questions

63. During the past 30 days, how did you get marijuana? Choose all that apply.	(n=223)	(n=128)
a. I did not get marijuana in the past 30 days.	85.2% (±4.7)	80.5% (±7.0)
b. I bought it from a store.	0.9% (±1.2)	0.8% (±1.5)
c. I stole it from a store.	1.3% (±1.5)	0.0% (±0.0)
d. I got it from friends.	9.0% (±3.8)	12.5% (±5.8)
e. I got it at a party.	2.2% (±2.0)	3.9% (±3.4)
f. I got it from an older brother or sister.	0.9% (±1.2)	0.8% (±1.5)
g. I gave money to someone to get it for me.	1.8% (±1.8)	4.7% (±3.7)
h. I took it from home without my parents' permission.	0.4% (±0.9)	0.0% (±0.0)
i. I got it at home with my parents' permission.	0.9% (±1.2)	1.6% (±2.2)
j. I got it some other way.	2.2% (±2.0)	3.9% (±3.4)
64. During the past 30 days, if you used marijuana, how did you usually use it?	(n=226)	(n=131)
a. I did not use marijuana during the past 30 days.	86.3% (±4.5)	83.2% (±6.5)
b. Smoked it (in a joint, bong, pipe, blunt)	11.5% (±4.2)	15.3% (±6.2)
c. Ate it (in brownies, cakes, cookies, candy)	1.8% (±1.7)	0.0% (±0.0)
d. Drank it (tea, cola, alcohol)	0.4% (±0.9)	0.8% (±1.5)
e. Vaporized it	0.0% (±0.0)	0.0% (±0.0)
f. Used it some other way	0.0% (±0.0)	0.8% (±1.5)

	Grade 10	Grade 12
	% (± CI) (n=226)	% (± CI) (n=131)
65. If you use marijuana or hashish (weed, hash, pot) how long do you usually stay high?		
a. I don't use marijuana	82.7% (±5.0)	76.3% (±7.4)
b. I usually don't get high.	2.7% (±2.1)	1.5% (±2.1)
c. 1 to 2 hours	4.9% (±2.8)	6.1% (±4.2)
d. 3 to 4 hours	6.6% (±3.3)	11.5% (±5.5)
e. 5 to 6 hours	1.3% (±1.5)	2.3% (±2.6)
f. 7 to 8 hours	1.3% (±1.5)	1.5% (±2.1)
g. 9 or more hours	0.4% (±0.9)	0.8% (±1.5)
66. In the past year, have your parents or guardians talked to you about why you should not use marijuana?	(n=233)	(n=142)
a. Yes, a number of times	37.8% (±6.3)	27.5% (±7.4)
b. Yes, once	16.7% (±4.8)	19.7% (±6.6)
c. No	38.6% (±6.3)	44.4% (±8.3)
d. I don't remember.	6.9% (±3.3)	8.5% (±4.6)
67. Does anyone who lives with you now use marijuana?	(n=226)	(n=129)
a. No	83.6% (±4.9)	80.6% (±6.9)
b. Yes	16.4% (±4.9)	19.4% (±6.9)
68. During the past 30 days, on how many days did you use marijuana on school property?	(n=227)	(n=130)
a. 0 days	95.2% (±2.8)	96.2% (±3.3)
b. 1-2 days	1.8% (±1.7)	1.5% (±2.1)
c. 3-9 days	0.9% (±1.2)	0.8% (±1.5)
d. 10-29 days	2.2% (±1.9)	0.0% (±0.0)
e. All 30 days	0.0% (±0.0)	1.5% (±2.1)
69. How wrong do your friends feel it would be for you to: Use marijuana?	(n=222)	(n=128)
a. Very wrong	52.3% (±6.6)	33.6% (±8.3)
b. Wrong	20.7% (±5.4)	24.2% (±7.5)
c. A little bit wrong	16.7% (±4.9)	22.7% (±7.4)
d. Not at all wrong	10.4% (±4.0)	19.5% (±7.0)

Other Alcohol- and Drug-Related Questions

70. How many times in the past year (12 months) have you been drunk or high at school?	(n=232)	(n=136)
a. Never	89.2% (±4.0)	88.2% (±5.5)
b. 1-2 times	3.0% (±2.2)	5.9% (±4.0)
c. 3-5 times	2.6% (±2.1)	2.9% (±2.9)
d. 6-9 times	0.9% (±1.2)	0.7% (±1.5)
e. 10 or more times	4.3% (±2.6)	2.2% (±2.5)

[Question 71 appears only on the elementary version of the survey.]

72. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you?	(n=235)	(n=141)
a. Very wrong	89.4% (±4.0)	84.4% (±6.1)
b. Wrong	8.5% (±3.6)	9.9% (±5.0)
c. A little bit wrong	1.3% (±1.4)	3.5% (±3.1)
d. Not at all wrong	0.9% (±1.2)	2.1% (±2.4)

	Grade 10	Grade 12
73. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you?	% (± CI) (n=220)	% (± CI) (n=128)
a. Very wrong	69.1% (±6.2)	68.0% (±8.2)
b. Wrong	20.5% (±5.4)	18.0% (±6.7)
c. A little bit wrong	5.0% (±2.9)	10.2% (±5.3)
d. Not at all wrong	5.5% (±3.0)	3.9% (±3.4)
74. How much do you think people risk harming themselves if they: Use prescription drugs that are not prescribed to them?	(n=235)	(n=142)
a. No risk	0.0% (±0.0)	2.8% (±2.8)
b. Slight risk	2.6% (±2.0)	7.0% (±4.3)
c. Moderate risk	19.1% (±5.1)	17.6% (±6.3)
d. Great risk	72.8% (±5.7)	68.3% (±7.7)
e. Not sure	5.5% (±2.9)	4.2% (±3.3)
75. In the past year, which of the following happened because you drank alcohol or used drugs? Choose all that apply.	(n=225)	(n=131)
a. I did not use alcohol or drugs in the past year.	78.2% (±5.4)	58.0% (±8.6)
b. I did not have any problems from drinking alcohol or using drugs in the past year.	14.7% (±4.7)	29.8% (±7.9)
c. I missed classes or school.	0.9% (±1.2)	1.5% (±2.1)
d. I failed classes or dropped out of school.	1.8% (±1.7)	3.1% (±3.0)
e. I got sick (vomited) or had a hangover.	5.8% (±3.1)	8.4% (±4.8)
f. I felt depressed, anxious, scared, or had other emotional problems.	3.6% (±2.4)	5.3% (±3.9)
g. I got hurt or injured.	3.1% (±2.3)	0.8% (±1.5)
h. I hurt or injured someone else.	0.9% (±1.2)	0.0% (±0.0)
i. I got in trouble with my parents or family.	3.6% (±2.4)	1.5% (±2.1)
j. I did things I didn't want to do or regretted afterward.	3.6% (±2.4)	3.1% (±3.0)

Other Health Concerns

Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

76. Obese or overweight? (Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")

	(n=228)	(n=141)
Obese	*	*
Overweight	*	*
Normal weight	*	*
Underweight	*	*

Note: Results for this question are suppressed for building-level reports

	Grade 10	Grade 12
	% (± CI) (n=241)	% (± CI) (n=146)
77. Which of the following are you trying to do about your weight?		
a. I am not trying to do anything about my weight.	34.4% (±6.0)	26.7% (±7.3)
b. Lose weight	30.7% (±5.9)	44.5% (±8.2)
c. Gain weight	17.8% (±4.9)	13.0% (±5.5)
d. Stay the same weight	17.0% (±4.8)	15.8% (±6.0)
78. How often do you eat dinner with your family?	(n=240)	(n=145)
a. Never	4.2% (±2.5)	10.3% (±5.0)
b. Rarely	15.8% (±4.7)	14.5% (±5.8)
c. Sometimes	22.5% (±5.3)	26.2% (±7.2)
d. Most of the time	28.3% (±5.7)	32.4% (±7.7)
e. Always	29.2% (±5.8)	16.6% (±6.1)
79. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?	(n=466)	(n=280)
a. Almost every month	2.1% (±1.3)	3.6% (±2.2)
b. Some months but not every month	3.0% (±1.6)	6.1% (±2.8)
c. Only 1-2 months	3.6% (±1.7)	5.0% (±2.6)
d. Did not have to skip or cut the size of meals.	91.2% (±2.6)	85.4% (±4.2)
80. Number of servings of fruits and vegetables eaten per day (Computed from FV1 – FV6)	(n=240)	(n=145)
a. Less than 1	7.1% (±3.3)	7.6% (±4.4)
b. 1 to less than 3	50.4% (±6.4)	48.3% (±8.2)
c. 3 to less than 5	23.8% (±5.4)	26.9% (±7.3)
d. 5 or more	18.8% (±5.0)	17.2% (±6.2)
81. Did you eat breakfast today?	(n=240)	(n=145)
a. Yes	66.7% (±6.0)	58.6% (±8.1)
b. No	33.3% (±6.0)	41.4% (±8.1)
82. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe)? Do not include diet drinks.	(n=240)	(n=145)
a. 0 times	26.3% (±5.6)	27.6% (±7.4)
b. 1-3 times	47.5% (±6.4)	38.6% (±8.0)
c. 4-6 times	15.0% (±4.5)	15.9% (±6.0)
d. 1 time per day	5.0% (±2.8)	6.2% (±4.0)
e. 2 times per day	3.8% (±2.4)	6.9% (±4.2)
f. 3 times per day	1.3% (±1.4)	4.1% (±3.3)
g. 4 or more times per day	1.3% (±1.4)	0.7% (±1.4)
83. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.	(n=240)	(n=145)
a. 0 times	70.0% (±5.8)	67.6% (±7.7)
b. 1-3 times	18.3% (±4.9)	21.4% (±6.8)
c. 4-6 times	7.5% (±3.4)	6.9% (±4.2)
d. 7-9 times	2.1% (±1.8)	2.8% (±2.7)
e. 10 times or more	2.1% (±1.8)	1.4% (±1.9)

84. During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)	Grade 10	Grade 12
	% (± CI) (n=240)	% (± CI) (n=145)
a. I did not drink sodas, sports drinks, or other flavored drinks at school.	66.3% (±6.0)	63.4% (±7.9)
b. I brought them from home.	21.3% (±5.2)	21.4% (±6.8)
c. I got them from friends.	2.9% (±2.1)	4.1% (±3.3)
d. I bought them at school.	5.0% (±2.8)	3.4% (±3.0)
e. Other	4.6% (±2.7)	7.6% (±4.4)

[Questions 85-86 appear only on the elementary version of the survey.]

87. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items.	(n=240)	(n=145)
	% (± CI)	% (± CI)
a. 0 times	40.8% (±6.3)	50.3% (±8.2)
b. 1-3 times	37.5% (±6.2)	31.0% (±7.6)
c. 4-6 times	15.0% (±4.5)	15.2% (±5.9)
d. 7-9 times	4.2% (±2.5)	2.8% (±2.7)
e. 10 times or more	2.5% (±2.0)	0.7% (±1.4)

88. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)	(n=240)	(n=146)
	% (± CI)	% (± CI)
a. 0 days	19.2% (±5.0)	19.9% (±6.5)
b. 1 day	10.4% (±3.9)	8.2% (±4.5)
c. 2 days	7.9% (±3.4)	8.9% (±4.7)
d. 3 days	10.0% (±3.8)	8.9% (±4.7)
e. 4 days	8.8% (±3.6)	9.6% (±4.8)
f. 5 days	16.7% (±4.7)	18.5% (±6.4)
g. 6 days	7.5% (±3.4)	7.5% (±4.3)
h. 7 days	19.6% (±5.1)	18.5% (±6.4)

89. On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?	(n=240)	(n=145)
	% (± CI)	% (± CI)
a. 0 days	35.8% (±6.1)	32.4% (±7.7)
b. 1 day	10.4% (±3.9)	9.0% (±4.7)
c. 2 days	12.5% (±4.2)	9.0% (±4.7)
d. 3 days	12.9% (±4.3)	9.7% (±4.9)
e. 4 days	9.2% (±3.7)	12.4% (±5.4)
f. 5 days	8.3% (±3.5)	12.4% (±5.4)
g. 6 days	3.8% (±2.4)	6.2% (±4.0)
h. 7 days	7.1% (±3.3)	9.0% (±4.7)

90. On average how many days a week do you walk to or from school?	(n=239)	(n=144)
	% (± CI)	% (± CI)
a. Never	74.5% (±5.6)	83.3% (±6.2)
b. 1-2	12.6% (±4.2)	6.3% (±4.0)
c. 3-4	3.8% (±2.4)	0.7% (±1.4)
d. I walk every day.	9.2% (±3.7)	9.7% (±4.9)

	Grade 10	Grade 12
	% (± CI) (n=238)	% (± CI) (n=144)
91. On average how many days a week do you ride a bicycle to or from school?		
a. Never	96.6% (±2.3)	93.8% (±4.0)
b. 1-2	1.3% (±1.4)	4.9% (±3.6)
c. 3-4	0.0% (±0.0)	0.7% (±1.4)
d. I bike every day.	2.1% (±1.8)	0.7% (±1.4)
92. On an average school day, how many hours do you watch TV?	(n=241)	(n=146)
a. I do not watch TV on an average school day.	25.3% (±5.5)	24.7% (±7.1)
b. Less than 1 hour per day	22.4% (±5.3)	24.7% (±7.1)
c. 1 hour per day	18.7% (±5.0)	17.8% (±6.3)
d. 2 hours per day	17.4% (±4.8)	19.9% (±6.5)
e. 3 hours per day	11.2% (±4.0)	7.5% (±4.3)
f. 4 hours per day	3.3% (±2.3)	3.4% (±3.0)
g. 5 or more hours per day	1.7% (±1.6)	2.1% (±2.3)
93. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on such things as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)	(n=239)	(n=144)
a. I do not play video games or use a computer for fun on an average school day.	13.4% (±4.3)	18.8% (±6.5)
b. Less than 1 hour per day	13.4% (±4.3)	15.3% (±5.9)
c. 1 hour per day	10.9% (±4.0)	11.8% (±5.3)
d. 2 hours per day	17.2% (±4.8)	15.3% (±5.9)
e. 3 hours per day	12.1% (±4.2)	12.5% (±5.5)
f. 4 hours per day	15.1% (±4.6)	6.3% (±4.0)
g. 5 or more hours per day	18.0% (±4.9)	20.1% (±6.6)
94. In an average week when you are in school, on how many days do you go to physical education (PE) classes?	(n=239)	(n=142)
a. 0 days	82.0% (±4.9)	62.0% (±8.1)
b. 1 day	0.4% (±0.8)	0.7% (±1.4)
c. 2 days	1.3% (±1.4)	0.0% (±0.0)
d. 3 days	0.0% (±0.0)	1.4% (±2.0)
e. 4 days	0.4% (±0.8)	0.0% (±0.0)
f. 5 days	15.9% (±4.7)	35.9% (±8.0)
95. During an average PE class, how many minutes do you spend actually exercising or playing sports?	(n=239)	(n=143)
a. I do not take PE	72.4% (±5.7)	53.1% (±8.3)
b. Less than 10 minutes	0.4% (±0.8)	3.5% (±3.0)
c. 10-20 minutes	2.5% (±2.0)	0.7% (±1.4)
d. 21-30 minutes	5.4% (±2.9)	11.2% (±5.2)
e. 31-40 minutes	6.3% (±3.1)	15.4% (±6.0)
f. 41-50 minutes	7.1% (±3.3)	9.1% (±4.8)
g. 51-60 minutes	3.3% (±2.3)	5.6% (±3.8)
h. More than 60 minutes	2.5% (±2.0)	1.4% (±1.9)

96. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.	Grade 10	Grade 12
	% (± CI) (n=471)	% (± CI) (n=284)
a. 0 days	27.0% (±4.0)	28.2% (±5.3)
b. 1-2 days	28.9% (±4.1)	31.7% (±5.4)
c. 3 or more days	44.2% (±4.5)	40.1% (±5.7)

Health Conditions and Health Care

97. Has a doctor or nurse ever told you that you have asthma?	(n=238)	(n=143)
a. Yes	21.4% (±5.3)	17.5% (±6.3)
b. No	72.7% (±5.7)	78.3% (±6.8)
c. Not sure	5.9% (±3.0)	4.2% (±3.3)

98. Do you still have asthma?	(n=238)	(n=143)
a. I have never had asthma.	63.0% (±6.2)	60.1% (±8.1)
b. Yes	13.4% (±4.4)	11.2% (±5.2)
c. No	14.3% (±4.5)	21.7% (±6.8)
d. Not sure	9.2% (±3.7)	7.0% (±4.2)

99. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?	(n=238)	(n=144)
a. During the past 12 months	87.0% (±4.3)	80.6% (±6.5)
b. Between 12 and 24 months ago	4.2% (±2.6)	12.5% (±5.5)
c. More than 24 months ago	2.9% (±2.2)	4.9% (±3.6)
d. Never	0.8% (±1.2)	0.7% (±1.4)
e. Not sure	5.0% (±2.8)	1.4% (±1.9)

100. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.)	(n=237)	(n=143)
a. None	92.0% (±3.5)	93.7% (±4.0)
b. 1-4 days	6.3% (±3.1)	2.8% (±2.7)
c. 5 days or more	0.4% (±0.8)	2.1% (±2.4)
d. Not sure	1.3% (±1.4)	1.4% (±1.9)

[Question 101 appears only on the elementary version of the survey.]

102. On an average school night how many hours do you sleep?	(n=237)	(n=143)
a. 5 hours or less	18.6% (±5.0)	25.2% (±7.2)
b. About 6 hours	29.5% (±5.9)	27.3% (±7.4)
c. About 7 hours	30.8% (±5.9)	39.2% (±8.1)
d. About 8 hours	17.7% (±4.9)	7.0% (±4.2)
e. 9 hours or more	3.4% (±2.3)	1.4% (±1.9)

Sexual Behavior

103. Have you ever had sexual intercourse? †	(n=0)	(n=0)
a. Yes	**	**
b. No	**	**

	Grade 10	Grade 12
104. How old were you when you had sexual intercourse for the first time? †	% (± CI) (n=0)	% (± CI) (n=0)
a. I have never had sexual intercourse.	**	**
b. 11 years old or younger	**	**
c. 12 years old	**	**
d. 13 years old	**	**
e. 14 years old	**	**
f. 15 years old	**	**
g. 16 years old	**	**
h. 17 years old or older	**	**
105. With how many people have you ever had sexual intercourse? †	(n=0)	(n=0)
a. I have never had sexual intercourse.	**	**
b. 1 person	**	**
c. 2 people	**	**
d. 3 people	**	**
e. 4 people	**	**
f. 5 people	**	**
g. 6 or more people	**	**
106. The last time you had sexual intercourse, did you or your partner use a condom? †	(n=0)	(n=0)
a. I have never had sexual intercourse.	**	**
b. Yes	**	**
c. No	**	**

Behaviors Related to Unintentional Injury

107. How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	(n=243)	(n=148)
a. Never go boating	22.6% (±5.3)	16.2% (±6.0)
b. Never	3.3% (±2.3)	10.8% (±5.1)
c. Less than half the time	12.3% (±4.2)	8.1% (±4.4)
d. About half the time	13.6% (±4.3)	20.9% (±6.6)
e. More than half the time	23.0% (±5.3)	16.2% (±6.0)
f. Always	25.1% (±5.5)	27.7% (±7.3)
108. Have you ever taken formal swimming lessons?	(n=243)	(n=148)
a. Yes	72.4% (±5.7)	70.3% (±7.5)
b. No	25.5% (±5.5)	27.0% (±7.2)
c. Not sure	2.1% (±1.8)	2.7% (±2.6)
109. How good a swimmer do you think you are?	(n=243)	(n=148)
a. Good	48.6% (±6.3)	56.1% (±8.1)
b. So-so	36.2% (±6.1)	29.1% (±7.4)
c. Not good	9.9% (±3.8)	8.8% (±4.6)
d. Can't swim	5.3% (±2.8)	6.1% (±3.9)

	Grade 10	Grade 12
110. During the past 30 days, how many days did you ride in a car or other vehicle driven by someone who was texting or emailing?	% (± CI) (n=242)	% (± CI) (n=148)
a. 0 days	37.2% (±6.1)	33.8% (±7.7)
b. 1 or 2 days	17.4% (±4.8)	24.3% (±7.0)
c. 3 to 5 days	13.2% (±4.3)	15.5% (±5.9)
d. 6 to 9 days	10.7% (±3.9)	9.5% (±4.8)
e. 10 to 19 days	11.6% (±4.1)	10.8% (±5.1)
f. 20 to 29 days	4.1% (±2.5)	2.7% (±2.6)
g. All 30 days	5.8% (±3.0)	3.4% (±2.9)

[Question 111 appears only on the elementary version of the survey.]

112. During the past 30 days, how many days did you text or email while driving a car or other vehicle?	(n=474)	(n=281)
a. I did not drive a car or other vehicle during the past 30 days.	60.1% (±4.4)	24.9% (±5.1)
b. 0 days	32.9% (±4.2)	28.1% (±5.3)
c. 1 or 2 days	3.0% (±1.5)	16.0% (±4.3)
d. 3 to 5 days	1.1% (±0.9)	5.3% (±2.6)
e. 6 to 9 days	0.6% (±0.7)	9.6% (±3.5)
f. 10 to 19 days	0.8% (±0.8)	4.6% (±2.5)
g. 20 to 29 days	0.6% (±0.7)	5.0% (±2.6)
h. All 30 days	0.8% (±0.8)	6.4% (±2.9)

113. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	(n=230)	(n=134)
a. 0 times	82.6% (±4.9)	81.3% (±6.7)
b. 1 time	9.1% (±3.8)	10.4% (±5.2)
c. 2-3 times	5.7% (±3.0)	5.2% (±3.8)
d. 4-5 times	0.4% (±0.9)	1.5% (±2.1)
e. 6 or more times	2.2% (±1.9)	1.5% (±2.1)

[Question 114 appears only on the elementary version of the survey.]

115. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	(n=229)	(n=134)
a. 0 times	95.6% (±2.7)	90.3% (±5.1)
b. 1 time	1.7% (±1.7)	4.5% (±3.5)
c. 2-3 times	1.7% (±1.7)	3.0% (±2.9)
d. 4-5 times	0.4% (±0.9)	0.7% (±1.5)
e. 6 or more times	0.4% (±0.9)	1.5% (±2.1)

116. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?	(n=230)	(n=133)
a. 0 times	84.3% (±4.7)	82.0% (±6.6)
b. 1 time	5.2% (±2.9)	5.3% (±3.8)
c. 2-3 times	6.1% (±3.1)	4.5% (±3.6)
d. 4-5 times	0.4% (±0.9)	3.0% (±2.9)
e. 6 or more times	3.9% (±2.5)	5.3% (±3.8)

	Grade 10	Grade 12
	% (± CI) (n=229)	% (± CI) (n=133)
117. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana?		
a. 0 times	92.6% (±3.4)	87.2% (±5.7)
b. 1 time	2.2% (±1.9)	3.8% (±3.3)
c. 2-3 times	2.6% (±2.1)	3.8% (±3.3)
d. 4-5 times	1.3% (±1.5)	1.5% (±2.1)
e. 6 or more times	1.3% (±1.5)	3.8% (±3.3)

Behaviors Related to Intentional Injury

	(n=476)	(n=283)
118. During the past 30 days, on how many days did you: Carry a weapon such as a gun, knife, or club on school property?		
a. 0 days	97.9% (±1.3)	94.7% (±2.6)
b. 1-5 days	1.5% (±1.1)	3.5% (±2.2)
c. 6 or more days	0.6% (±0.7)	1.8% (±1.5)

[Question 119 appears only on the elementary version of the survey.]

	(n=243)	(n=147)
120. During the past 30 days, on how many days did you carry a gun? (Do not include carrying a gun while hunting.)		
a. 0 times	97.5% (±2.0)	98.0% (±2.3)
b. 1 time	1.2% (±1.4)	1.4% (±1.9)
c. 2-3 times	0.4% (±0.8)	0.0% (±0.0)
d. 4-5 times	0.0% (±0.0)	0.0% (±0.0)
e. 6 or more times	0.8% (±1.1)	0.7% (±1.3)

	(n=477)	(n=288)
121. During the past 12 months, how many times were you in a physical fight?		
a. 0 times	82.2% (±3.4)	87.2% (±3.9)
b. 1 time	10.5% (±2.8)	6.3% (±2.8)
c. 2-3 times	4.0% (±1.8)	3.8% (±2.2)
d. 4-5 times	2.1% (±1.3)	1.0% (±1.2)
e. 6 or more times	1.3% (±1.0)	1.7% (±1.5)

	(n=476)	(n=283)
122. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang?		
a. No	94.5% (±2.0)	94.7% (±2.6)
b. Yes	5.5% (±2.0)	5.3% (±2.6)

	(n=476)	(n=283)
123. Are there gangs at your school?		
a. No	20.2% (±3.6)	34.6% (±5.6)
b. Yes	15.5% (±3.3)	9.5% (±3.4)
c. Don't know	64.3% (±4.3)	55.8% (±5.8)

	(n=232)	(n=141)
124. Not counting TV, movies, video games, and sporting events, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically hurt another adult more than one time?		
a. No	80.2% (±5.2)	76.6% (±7.1)
b. Yes	19.8% (±5.2)	23.4% (±7.1)

Physical, Emotional and Sexual Abuse

	Grade 10	Grade 12
	% (± CI) (n=232)	% (± CI) (n=141)
125. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury?		
a. No	78.4% (±5.3)	78.0% (±6.9)
b. Yes	21.6% (±5.3)	22.0% (±6.9)
126. How often does a parent or adult in your home swear at you, insult you, put you down or humiliate you?	(n=231)	(n=142)
a. Never or almost never	63.2% (±6.3)	62.7% (±8.1)
b. Sometimes	24.7% (±5.6)	26.8% (±7.4)
c. Often	9.1% (±3.7)	7.0% (±4.3)
d. Very often	3.0% (±2.2)	3.5% (±3.1)
127. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way?	(n=233)	(n=139)
a. I did not date or go out with anyone during the past 12 months.	59.7% (±6.3)	40.3% (±8.3)
b. No	35.2% (±6.2)	51.8% (±8.4)
c. Yes	5.2% (±2.9)	7.9% (±4.5)
128. In the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)	(n=232)	(n=141)
a. I did not date or go out with anyone during the past 12 months.	61.6% (±6.3)	42.6% (±8.3)
b. 0 times	34.5% (±6.2)	53.9% (±8.3)
c. 1 time	2.2% (±1.9)	2.8% (±2.8)
d. 2 or 3 times	1.3% (±1.5)	0.7% (±1.4)
e. 4 or 5 times	0.0% (±0.0)	0.0% (±0.0)
f. 6 or more times	0.4% (±0.8)	0.0% (±0.0)
129. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	(n=0)	(n=0)
a. No	**	**
b. Yes	**	**

Mental Health

130. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	(n=477)	(n=284)
a. Yes	34.6% (±4.3)	33.5% (±5.5)
b. No	65.4% (±4.3)	66.5% (±5.5)
131. During the past 12 months, did you ever seriously consider attempting suicide?	(n=476)	(n=284)
a. Yes	20.8% (±3.7)	21.5% (±4.8)
b. No	79.2% (±3.7)	78.5% (±4.8)
132. During the past 12 months, did you make a plan about how you would attempt suicide?	(n=243)	(n=147)
a. Yes	17.3% (±4.8)	16.3% (±6.0)
b. No	82.7% (±4.8)	83.7% (±6.0)

	Grade 10	Grade 12
133. During the past 12 months, how many times did you actually attempt suicide?	% (± CI) (n=243)	% (± CI) (n=147)
a. 0 times	92.6% (±3.3)	91.2% (±4.6)
b. 1 time	4.1% (±2.5)	4.1% (±3.2)
c. 2-3 times	2.1% (±1.8)	3.4% (±3.0)
d. 4-5 times	0.4% (±0.8)	0.7% (±1.3)
e. 6 or more times	0.8% (±1.1)	0.7% (±1.3)

[Questions 134-135 appear only on the elementary version of the survey.]

136. How often over the last 2 weeks, were you bothered by: Feeling nervous, anxious or on edge?	(n=462)	(n=278)
a. Not at all	31.2% (±4.2)	31.3% (±5.5)
b. Several days	39.0% (±4.5)	38.8% (±5.8)
c. More than half the days	11.5% (±2.9)	11.9% (±3.8)
d. Nearly every day	18.4% (±3.5)	18.0% (±4.5)

137. How often over the last 2 weeks, were you bothered by: Not being able to stop or control worrying?	(n=463)	(n=279)
a. Not at all	44.3% (±4.5)	40.9% (±5.8)
b. Several days	29.8% (±4.2)	33.0% (±5.6)
c. More than half the days	11.9% (±3.0)	13.6% (±4.0)
d. Nearly every day	14.0% (±3.2)	12.5% (±3.9)

138. When you feel sad or hopeless, are there adults that you can turn to for help?	(n=242)	(n=147)
a. I never feel sad or hopeless.	21.9% (±5.2)	22.4% (±6.8)
b. Yes	53.7% (±6.3)	56.5% (±8.1)
c. No	11.6% (±4.1)	9.5% (±4.8)
d. Not sure	12.8% (±4.2)	11.6% (±5.2)

139. If you feel sad or hopeless almost every day for two weeks or more in a row, to whom would you most likely turn for help? (Check all that apply)	(n=383)	(n=201)
a. Sibling or cousin	17.4% (±4.9)	9.2% (±4.8)
b. Teacher, school counselor, or other adult in my school	8.5% (±3.6)	11.3% (±5.3)
c. Friend or peer	51.1% (±6.4)	42.3% (±8.2)
d. Parent/Guardian	31.5% (±6.0)	26.8% (±7.4)
e. Adult friend or adult relative that is not my parent/guardian	9.4% (±3.8)	11.3% (±5.3)
f. Religious/faith leader	8.9% (±3.7)	3.5% (±3.1)
g. I don't have anyone I would talk to.	8.1% (±3.5)	8.5% (±4.6)
h. I have not felt sad or hopeless for two weeks or more in a row.	28.1% (±5.8)	28.9% (±7.5)

140. Last year, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?	(n=231)	(n=141)
a. Yes	66.2% (±6.1)	49.6% (±8.4)
b. No	19.5% (±5.1)	33.3% (±7.9)
c. Not sure	14.3% (±4.5)	17.0% (±6.3)

Social and Emotional Learning

	Grade 10	Grade 12
	% (± CI) (n=229)	% (± CI) (n=142)
141. I know how to disagree without starting a fight or argument.		
a. Strongly agree	52.0% (±6.5)	52.1% (±8.3)
b. Agree	38.0% (±6.3)	40.1% (±8.2)
c. Disagree	8.3% (±3.6)	6.3% (±4.1)
d. Strongly disagree	1.7% (±1.7)	1.4% (±2.0)
142. When I have problems at school, I am good at finding ways to solve them.	(n=230)	(n=142)
a. Strongly agree	37.4% (±6.3)	41.5% (±8.2)
b. Agree	55.2% (±6.5)	47.2% (±8.3)
c. Disagree	5.7% (±3.0)	9.2% (±4.8)
d. Strongly disagree	1.7% (±1.7)	2.1% (±2.4)
143. When I make a decision, I think about what might happen afterward.	(n=230)	(n=142)
a. Strongly agree	40.4% (±6.4)	51.4% (±8.3)
b. Agree	49.1% (±6.5)	40.8% (±8.2)
c. Disagree	8.7% (±3.7)	6.3% (±4.1)
d. Strongly disagree	1.7% (±1.7)	1.4% (±2.0)
144. I try to understand how other people feel and think.	(n=230)	(n=142)
a. Strongly agree	49.6% (±6.5)	52.1% (±8.3)
b. Agree	43.5% (±6.5)	42.3% (±8.2)
c. Disagree	4.8% (±2.8)	3.5% (±3.1)
d. Strongly disagree	2.2% (±1.9)	2.1% (±2.4)

Gambling

145. In the past 12 months, how often have you gambled (bet) for money or possessions?	(n=230)	(n=134)
a. Never in the past year	79.1% (±5.3)	80.6% (±6.8)
b. Once or twice in the past year	11.3% (±4.1)	14.9% (±6.1)
c. A few times in the past year	6.1% (±3.1)	2.2% (±2.5)
d. Once or twice a month	2.6% (±2.1)	0.7% (±1.5)
e. At least once a week	0.9% (±1.2)	1.5% (±2.1)

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

146. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?	(n=476)	(n=288)
a. I have not been bullied.	81.1% (±3.5)	83.3% (±4.3)
b. Once	8.4% (±2.5)	9.4% (±3.4)
c. 2-3 times	6.1% (±2.2)	3.8% (±2.2)
d. About once a week	1.5% (±1.1)	1.0% (±1.2)
e. Several times a week	2.9% (±1.5)	2.4% (±1.8)

	Grade 10	Grade 12
	% (± CI) (n=233)	% (± CI) (n=139)
147. When a student is being bullied at school, how often do teachers or other adults at school try to put a stop to it?		
a. Almost always	33.5% (±6.1)	24.5% (±7.2)
b. Often	26.6% (±5.7)	32.4% (±7.9)
c. Sometimes	28.8% (±5.9)	20.1% (±6.8)
d. Once in a while	4.7% (±2.7)	14.4% (±5.9)
e. Almost never	6.4% (±3.2)	8.6% (±4.7)
148. If you see bullying or have been bullied at school do you know how to report it?	(n=234)	(n=142)
a. Yes	71.8% (±5.8)	73.2% (±7.4)
b. No	11.1% (±4.1)	12.0% (±5.4)
c. Not sure	17.1% (±4.9)	14.8% (±5.9)
149. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it was?	(n=237)	(n=143)
a. 0 times	89.9% (±3.9)	94.4% (±3.8)
b. 1 time	4.2% (±2.6)	2.1% (±2.4)
c. 2-3 times	3.8% (±2.5)	2.8% (±2.7)
d. About once a week	0.4% (±0.8)	0.0% (±0.0)
e. Several times a week or more	1.7% (±1.7)	0.7% (±1.4)
150. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school: Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?	(n=237)	(n=142)
a. 0 times	90.7% (±3.7)	94.4% (±3.8)
b. 1 time	4.2% (±2.6)	4.2% (±3.3)
c. 2-3 times	2.5% (±2.0)	1.4% (±2.0)
d. About once a week	0.4% (±0.8)	0.0% (±0.0)
e. Several times a week or more	2.1% (±1.8)	0.0% (±0.0)
151. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to and from school?	(n=236)	(n=143)
a. 0 days	91.1% (±3.7)	87.4% (±5.5)
b. 1 day	4.7% (±2.7)	7.7% (±4.4)
c. 2 or 3 days	2.5% (±2.0)	4.9% (±3.6)
d. 4 or 5 days	0.4% (±0.8)	0.0% (±0.0)
e. 6 or more days	1.3% (±1.4)	0.0% (±0.0)
152. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?	(n=236)	(n=143)
a. Yes	12.7% (±4.3)	12.6% (±5.5)
b. No	82.2% (±4.9)	83.9% (±6.1)
c. Not sure	5.1% (±2.8)	3.5% (±3.0)
153. During the past 30 days, have you received a text or an e-mail with a revealing or sexual photo of someone?	(n=234)	(n=144)
a. Yes	19.7% (±5.1)	20.1% (±6.6)
b. No	80.3% (±5.1)	79.9% (±6.6)

	Grade 10	Grade 12
	% (± CI) (n=233)	% (± CI) (n=138)
154. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?		
a. No	6.0% (±3.1)	5.1% (±3.7)
b. Yes	60.5% (±6.3)	60.9% (±8.2)
c. Not sure	33.5% (±6.1)	34.1% (±8.0)
155. Does your school have a counselor?	(n=231)	(n=140)
a. Yes	95.2% (±2.8)	92.1% (±4.5)
b. No	3.5% (±2.4)	4.3% (±3.4)
c. Not sure	1.3% (±1.5)	3.6% (±3.1)
156. In the last year, did you have any contact with the counselor?	(n=228)	(n=140)
a. Yes	49.6% (±6.5)	68.6% (±7.8)
b. No	50.4% (±6.5)	31.4% (±7.8)
157. There are people in this school who will help me if I need it?	(n=231)	(n=141)
a. Yes	83.1% (±4.9)	82.3% (±6.4)
b. No	5.6% (±3.0)	7.1% (±4.3)
c. Not sure	11.3% (±4.1)	10.6% (±5.2)
158. Last year in school, were you taught about AIDS or HIV infection?	(n=235)	(n=143)
a. Yes	83.8% (±4.7)	29.4% (±7.6)
b. No	8.9% (±3.7)	60.1% (±8.1)
c. Not sure	7.2% (±3.3)	10.5% (±5.1)
159. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy?	(n=231)	(n=141)
a. Yes	87.0% (±4.4)	35.5% (±8.0)
b. No	6.9% (±3.3)	56.0% (±8.3)
c. Not sure	6.1% (±3.1)	8.5% (±4.7)
160. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy?	(n=230)	(n=141)
a. Yes	87.8% (±4.3)	33.3% (±7.9)
b. No	6.5% (±3.2)	55.3% (±8.3)
c. Not sure	5.7% (±3.0)	11.3% (±5.3)
161. How many hours per week are you currently working for pay, NOT counting chores around your home, yard work, or babysitting?	(n=237)	(n=142)
a. None, not currently working	88.2% (±4.1)	53.5% (±8.3)
b. 10 hours or less a week	9.3% (±3.7)	20.4% (±6.7)
c. 11-20 hours a week	1.3% (±1.4)	20.4% (±6.7)
d. 21-30 hours a week	1.3% (±1.4)	4.9% (±3.6)
e. 31-40 hours a week	0.0% (±0.0)	0.7% (±1.4)
f. More than 40 hours a week	0.0% (±0.0)	0.0% (±0.0)

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the survey questions related to individual quality of life.

	Grade 10 % (± CI) (n=237)	Grade 12 % (± CI) (n=142)
162. Youth Quality of Life (Computed from questions 163-167)		
a. Low	27.8% (±5.7)	26.1% (±7.3)
b. Medium low	24.5% (±5.5)	24.6% (±7.2)
c. Medium high	26.6% (±5.7)	26.1% (±7.3)
d. High	21.1% (±5.2)	23.2% (±7.0)
163. I feel I am getting along with my parents or guardians.	(n=237)	(n=143)
a. 0 not at all true	4.2% (±2.6)	3.5% (±3.0)
b. 1	1.7% (±1.7)	2.8% (±2.7)
c. 2	1.3% (±1.4)	1.4% (±1.9)
d. 3	2.5% (±2.0)	3.5% (±3.0)
e. 4	3.8% (±2.5)	4.2% (±3.3)
f. 5	6.3% (±3.1)	4.9% (±3.6)
g. 6	6.8% (±3.2)	5.6% (±3.8)
h. 7	11.8% (±4.1)	12.6% (±5.5)
i. 8	11.8% (±4.1)	16.1% (±6.1)
j. 9	18.6% (±5.0)	21.0% (±6.8)
k. 10 completely true	31.2% (±5.9)	24.5% (±7.1)
164. I look forward to the future.	(n=238)	(n=144)
a. 0 not at all true	4.6% (±2.7)	1.4% (±1.9)
b. 1	0.4% (±0.8)	2.8% (±2.7)
c. 2	2.5% (±2.0)	4.9% (±3.6)
d. 3	2.5% (±2.0)	0.7% (±1.4)
e. 4	2.1% (±1.8)	3.5% (±3.0)
f. 5	8.4% (±3.6)	2.8% (±2.7)
g. 6	4.6% (±2.7)	5.6% (±3.8)
h. 7	11.8% (±4.1)	6.9% (±4.2)
i. 8	15.1% (±4.6)	16.0% (±6.1)
j. 9	9.2% (±3.7)	18.1% (±6.4)
k. 10 completely true	38.7% (±6.2)	37.5% (±8.0)
165. I feel good about myself.	(n=237)	(n=143)
a. 0 not at all true	5.1% (±2.8)	6.3% (±4.0)
b. 1	3.8% (±2.5)	6.3% (±4.0)
c. 2	4.6% (±2.7)	0.7% (±1.4)
d. 3	2.5% (±2.0)	2.1% (±2.4)
e. 4	6.8% (±3.2)	5.6% (±3.8)
f. 5	10.5% (±3.9)	7.0% (±4.2)
g. 6	5.1% (±2.8)	9.1% (±4.8)
h. 7	14.8% (±4.5)	13.3% (±5.6)
i. 8	14.3% (±4.5)	18.2% (±6.4)
j. 9	11.8% (±4.1)	14.0% (±5.8)
k. 10 completely true	20.7% (±5.2)	17.5% (±6.3)

	Grade 10	Grade 12
	% (± CI) (n=237)	% (± CI) (n=142)
166. I am satisfied with the way my life is now.		
a. 0 not at all true	6.8% (±3.2)	6.3% (±4.1)
b. 1	1.7% (±1.7)	2.1% (±2.4)
c. 2	3.0% (±2.2)	3.5% (±3.1)
d. 3	5.9% (±3.0)	6.3% (±4.1)
e. 4	6.8% (±3.2)	4.9% (±3.6)
f. 5	7.6% (±3.4)	7.7% (±4.5)
g. 6	11.0% (±4.0)	9.2% (±4.8)
h. 7	12.2% (±4.2)	14.1% (±5.8)
i. 8	11.8% (±4.1)	16.9% (±6.2)
j. 9	12.7% (±4.3)	16.2% (±6.1)
k. 10 completely true	20.7% (±5.2)	12.7% (±5.5)
167. I feel alone in my life.	(n=237)	(n=142)
a. 0 not at all true	37.1% (±6.2)	29.6% (±7.6)
b. 1	11.0% (±4.0)	14.1% (±5.8)
c. 2	10.1% (±3.9)	12.7% (±5.5)
d. 3	4.6% (±2.7)	9.2% (±4.8)
e. 4	5.5% (±2.9)	4.9% (±3.6)
f. 5	4.6% (±2.7)	7.7% (±4.5)
g. 6	7.6% (±3.4)	4.9% (±3.6)
h. 7	8.0% (±3.5)	5.6% (±3.8)
i. 8	5.1% (±2.8)	7.0% (±4.3)
j. 9	2.5% (±2.0)	0.7% (±1.4)
k. 10 completely true	3.8% (±2.5)	3.5% (±3.1)

[Question 168 appears only on the elementary version of the survey.]

Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.

	2004	2006	2008	2010	2012	2014	2016
Community Protective Factors							
Opportunities for Prosocial Involvement	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Rewards for Prosocial Involvement	X	X	X	X ^E	X ^E	X ^E	X ^E
Community Risk Factors							
Transitions and Mobility	X ^S						
Perceived Availability of Handguns	X ^S	X ^S	X ^S	X ^S	X ^S		
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X
Low Neighborhood Attachment		X ^S	X ^S	X ^S			
Perceived Availability of Drugs	X	X	X	X	X	X	X
Family Protective Factors							
Opportunities for Prosocial Involvement	X ^{E, †}	X [†]	X [†]	X [†]	X [†]	X	X
Rewards for Prosocial Involvement	X ^{E, †}	X [†]	X [†]	X [†]	X [†]	X ^E	X ^E
Family Risk Factors							
Poor Family Management	X ^{S, †}	X ^{S, †}	X ^{S, †}	X ^{S, †}	X ^{S, †}	X ^S	X ^S
Parental Attitudes Favorable towards Drug Use	X ^{S, †}		X ^{S, †}	X ^S	X ^S	X ^S	X ^S
Parental Attitudes Favorable to Antisocial Behavior	X ^{S, †}						
Antisocial Behavior Among Familiar Adults							
Peer-Individual Protective Factors							
Social Skills	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Interaction With Prosocial Peers	X	X	X	X ^S	X ^S	X ^S	X ^S
Belief in the Moral Order	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Prosocial Involvement	X	X	X ^E	X ^E	X ^E	X ^E	X ^E
Peer-Individual Risk Factors							
Perceived Risk of Drug Use	X	X	X	X	X	X	X
Early Initiation of Drug Use	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Early Initiation of Antisocial Behavior	X ^S	X ^S	X ^S	X ^S	X ^S		
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X ^S	X ^S	X ^S	X ^S			
Rewards for Antisocial Involvement	X ^S	X ^S	X ^S				
Friends' Use of Drugs	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Interaction With Antisocial Peers	X ^S	X ^S	X ^S	X ^S	X ^S		
Intentions to Use	X ^S	X ^S	X ^S	X ^S	X ^S		
School Protective Factors							
Opportunities for Prosocial Involvement	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S	X ^S
Rewards for Prosocial Involvement	X	X	X	X	X	X	X
School Risk Factors							
Low Commitment to School	X	X	X	X	X	X	X
Academic Failure	X	X	X	X	X	X	X

Note: X^S = Included only on the secondary version; X^E = Included only on the elementary version.

Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.


Community Domain

Risk Factors

	Grade 10 % (±CI) (n=232)	Grade 12 % (±CI) (n=139)
Perceived Availability of Drugs (Questions 169-172)	20.7% (±5.3)	25.9% (±7.4)
Laws And Norms Favorable to Drug Use (Questions 173-178)	26.8% (±5.7)	24.8% (±7.2)

Protective Factors

	Grade 10 % (±CI) (n=230)	Grade 12 % (±CI) (n=139)
Opportunities for Prosocial Involvement (Questions 179-182)	83.5% (±4.8)	79.1% (±6.8)
Rewards for Prosocial Involvement (Questions 183-185)	NA ^E	NA ^E



Note: NA^S = Included only on the secondary version; NA^E = Included only on the elementary version.


For more information, see the History of Risk and Protective Factor Report on www.AskHYS.net, under HYS Results – Frequency Reports - Additional Reports

Family Domain**Risk Factors**

	Grade 10 % (±CI) (n=227)	Grade 12 % (±CI) (n=132)
Poor Family Management (Questions 186-193)	25.6% (±5.7)	29.5% (±7.9)
Parental Attitudes Favorable Towards Drug Use (Questions 201-203)	31.9% (±6.0)	34.8% (±8.0)

Protective Factors

Opportunities for Prosocial Involvement (Questions 194–196)	(n=226) 56.2% (±6.5)	(n=133) 59.4% (±8.5)
Rewards for Prosocial Involvement (Questions 197–200)	NA ^E	NA ^E




School Domain**Risk Factors**

	Grade 10 % (±CI) (n=231)	Grade 12 % (±CI) (n=140)
Academic Failure (Questions 204–205)	44.2% (±6.5)	53.6% (±8.4)
Low Commitment to School (Questions 206–212)	39.6% (±6.3)	39.7% (±8.2)



Protective Factors

	Grade 10 % (±CI) (n=234)	Grade 12 % (±CI) (n=141)
Opportunities for Prosocial Involvement (Questions 213–217)	73.5% (±5.7)	68.1% (±7.8)
Rewards for Prosocial Involvement (Questions 218–221)	60.8% (±6.3)	41.4% (±8.3)



Peer-Individual Domain**Risk Factors**

	Grade 10 % (±CI) (n=227)	Grade 12 % (±CI) (n=136)
Perceived Risk of Drug Use (Questions 222–225)	28.6% (±5.9)	42.6% (±8.4)
Early Initiation of Drug Use (Questions 226–229)	12.0% (±4.2)	12.7% (±5.7)
Favorable Attitudes Towards Drug Use (Questions 230–233)	30.6% (±6.0)	33.1% (±8.1)
Friends' Use of Drugs (Questions 234–237)	15.2% (±4.8)	11.0% (±5.5)
Protective Factors		
Interaction With Prosocial Peers (Questions 238–242)	66.7% (±6.2)	53.1% (±8.8)
Belief in the Moral Order (Questions 243–246)	74.7% (±5.6)	60.4% (±8.2)
Opportunities for Prosocial Involvement (Questions 247–249)	NA ^E	NA ^E
Social Skills (Questions 250–252)	71.4% (±6.0)	60.2% (±8.6)



Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

Community Domain

Perceived Availability of Drugs (Questions 169-172)

	Grade 10	Grade 12
	% (± CI) (n=232)	% (± CI) (n=140)
169. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey, or gin), how easy would it be for you to get some?		
a. Very hard	28.4% (±5.8)	15.7% (±6.1)
b. Sort of hard	21.1% (±5.3)	25.7% (±7.3)
c. Sort of easy	28.0% (±5.8)	32.1% (±7.8)
d. Very easy	22.4% (±5.4)	26.4% (±7.4)
170. If you wanted to get some cigarettes, how easy would it be for you to get some?	(n=233)	(n=139)
a. Very hard	44.2% (±6.4)	24.5% (±7.2)
b. Sort of hard	27.9% (±5.8)	20.9% (±6.8)
c. Sort of easy	17.6% (±4.9)	24.5% (±7.2)
d. Very easy	10.3% (±3.9)	30.2% (±7.7)
171. If you wanted to get some marijuana, how easy would it be for you to get some?	(n=233)	(n=140)
a. Very hard	33.5% (±6.1)	17.9% (±6.4)
b. Sort of hard	20.6% (±5.2)	23.6% (±7.1)
c. Sort of easy	18.5% (±5.0)	22.9% (±7.0)
d. Very easy	27.5% (±5.8)	35.7% (±8.0)
172. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	(n=232)	(n=137)
a. Very hard	59.9% (±6.4)	45.3% (±8.4)
b. Sort of hard	21.1% (±5.3)	28.5% (±7.7)
c. Sort of easy	11.6% (±4.2)	17.5% (±6.4)
d. Very easy	7.3% (±3.4)	8.8% (±4.8)

Laws and Norms Favorable to Drug Use (Questions 173-178)

173. How wrong would most adults in your neighborhood^C/ neighborhood or community^A think it was for kids your age: To use marijuana?	(n=232)	(n=139)
a. Very wrong	51.3% (±6.5)	34.5% (±8.0)
b. Wrong	33.6% (±6.1)	41.7% (±8.3)
c. A little bit wrong	11.2% (±4.1)	20.9% (±6.8)
d. Not wrong at all	3.9% (±2.5)	2.9% (±2.8)
174. How wrong would most adults in your neighborhood^C/ neighborhood or community^A think it was for kids your age: To drink alcohol?	(n=233)	(n=141)
a. Very wrong	42.5% (±6.4)	29.8% (±7.6)
b. Wrong	37.3% (±6.3)	41.8% (±8.2)
c. A little bit wrong	17.6% (±4.9)	22.7% (±7.0)
d. Not wrong at all	2.6% (±2.0)	5.7% (±3.9)

	Grade 10	Grade 12
	% (± CI) (n=232)	% (± CI) (n=141)
175. How wrong would most adults in your neighborhood^C/ neighborhood or community^A think it was for kids your age: To smoke cigarettes?		
a. Very wrong	65.1% (±6.2)	54.6% (±8.3)
b. Wrong	25.4% (±5.6)	30.5% (±7.7)
c. A little bit wrong	7.8% (±3.5)	12.1% (±5.4)
d. Not wrong at all	1.7% (±1.7)	2.8% (±2.8)
176. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^C/ community^A, would he or she be caught by the police?	(n=233)	(n=139)
a. NO!	14.2% (±4.5)	22.3% (±7.0)
b. No	51.5% (±6.5)	59.7% (±8.3)
c. yes	25.8% (±5.7)	12.9% (±5.7)
d. YES!	8.6% (±3.6)	5.0% (±3.7)
177. If a kid carried a handgun in your neighborhood^C/ community^A, would he or she be caught by the police?	(n=235)	(n=138)
a. NO!	4.7% (±2.7)	5.1% (±3.7)
b. No	20.0% (±5.2)	21.7% (±7.0)
c. yes	42.6% (±6.4)	47.8% (±8.4)
d. YES!	32.8% (±6.0)	25.4% (±7.4)
178. If a kid used marijuana in your neighborhood^C/ community^A, would he or she be caught by the police?	(n=234)	(n=140)
a. NO!	15.8% (±4.7)	17.9% (±6.4)
b. No	45.7% (±6.4)	60.7% (±8.2)
c. yes	26.1% (±5.7)	17.9% (±6.4)
d. YES!	12.4% (±4.3)	3.6% (±3.1)

Opportunities for Prosocial Involvement (Questions 179-182)

179. There are adults in my neighborhood or community I could talk to about something important.	(n=233)	(n=141)
a. NO!	8.2% (±3.5)	9.2% (±4.8)
b. No	16.3% (±4.8)	12.8% (±5.6)
c. yes	41.2% (±6.4)	51.1% (±8.4)
d. YES!	34.3% (±6.1)	27.0% (±7.4)

Which of the following activities for people your age are available in your community?

180. Sports teams and recreation	(n=235)	(n=141)
a. Yes	94.5% (±2.9)	85.8% (±5.8)
b. No	5.5% (±2.9)	14.2% (±5.8)
181. Scouts, Camp Fire, 4-H Clubs, or other service clubs	(n=234)	(n=140)
a. Yes	84.6% (±4.7)	76.4% (±7.1)
b. No	15.4% (±4.7)	23.6% (±7.1)
182. Boys and Girls Club, YMCA, or other activity clubs	(n=232)	(n=140)
a. Yes	92.7% (±3.4)	84.3% (±6.1)
b. No	7.3% (±3.4)	15.7% (±6.1)

Rewards for Prosocial Involvement (Questions 183-185)

[Questions 183-185 appear only on the elementary version of the survey.]

Family Domain**Poor Family Management (Questions 186-193)**

	Grade 10	Grade 12
	% (± CI) (n=232)	% (± CI) (n=135)
186. My parents ask if I've gotten my homework done.		
a. NO!	1.7% (±1.7)	11.1% (±5.4)
b. No	7.8% (±3.5)	8.1% (±4.7)
c. yes	40.9% (±6.4)	44.4% (±8.5)
d. YES!	49.6% (±6.5)	36.3% (±8.2)
187. Would your parents know if you did not come home on time?	(n=227)	(n=131)
a. NO!	3.1% (±2.3)	3.8% (±3.3)
b. No	15.0% (±4.7)	18.3% (±6.7)
c. yes	39.2% (±6.4)	43.5% (±8.6)
d. YES!	42.7% (±6.5)	34.4% (±8.2)
188. When I am not at home, one of my parents knows where I am and who I am with.	(n=229)	(n=134)
a. NO!	1.7% (±1.7)	2.2% (±2.5)
b. No	8.7% (±3.7)	11.2% (±5.4)
c. yes	39.3% (±6.4)	52.2% (±8.6)
d. YES!	50.2% (±6.5)	34.3% (±8.1)
189. The rules in my family are clear.	(n=229)	(n=134)
a. NO!	1.3% (±1.5)	1.5% (±2.1)
b. No	9.2% (±3.8)	13.4% (±5.8)
c. yes	42.4% (±6.4)	49.3% (±8.6)
d. YES!	47.2% (±6.5)	35.8% (±8.2)
190. My family has clear rules about alcohol and drug use.	(n=228)	(n=133)
a. NO!	2.6% (±2.1)	2.3% (±2.6)
b. No	9.6% (±3.9)	15.0% (±6.2)
c. yes	34.2% (±6.2)	39.8% (±8.4)
d. YES!	53.5% (±6.5)	42.9% (±8.5)
191. If you drank some beer, wine, or liquor (for example vodka, whiskey, or gin) without your parent's permission, would you be caught by them?	(n=226)	(n=133)
a. NO!	5.8% (±3.1)	8.3% (±4.7)
b. No	35.0% (±6.3)	49.6% (±8.6)
c. yes	29.2% (±6.0)	21.1% (±7.0)
d. YES!	30.1% (±6.0)	21.1% (±7.0)
192. If you carried a handgun without your parent's permission, would you be caught by them?	(n=228)	(n=130)
a. NO!	3.9% (±2.5)	4.6% (±3.7)
b. No	10.1% (±3.9)	13.1% (±5.9)
c. yes	29.8% (±6.0)	36.9% (±8.4)
d. YES!	56.1% (±6.5)	45.4% (±8.7)

	Grade 10	Grade 12
	% (± CI) (n=228)	% (± CI) (n=131)
193. If you skipped school, would you be caught by your parents?		
a. NO!	4.4% (±2.7)	5.3% (±3.9)
b. No	9.2% (±3.8)	13.0% (±5.8)
c. yes	29.4% (±6.0)	40.5% (±8.5)
d. YES!	57.0% (±6.5)	41.2% (±8.5)

Opportunities for Prosocial Involvement (Questions 194-196)

	(n=230)	(n=134)
194. If I had a personal problem, I could ask my mom or dad for help.		
a. NO!	4.8% (±2.8)	3.7% (±3.3)
b. No	15.7% (±4.7)	13.4% (±5.8)
c. yes	40.9% (±6.4)	44.8% (±8.5)
d. YES!	38.7% (±6.3)	38.1% (±8.3)
195. My parents give me lots of chances to do fun things with them.	(n=226)	(n=131)
a. NO!	4.0% (±2.6)	4.6% (±3.6)
b. No	25.7% (±5.7)	21.4% (±7.1)
c. yes	39.8% (±6.4)	51.9% (±8.7)
d. YES!	30.5% (±6.1)	22.1% (±7.2)
196. My parents ask me what I think before most family decisions affecting me are made.	(n=225)	(n=131)
a. NO!	11.1% (±4.1)	9.9% (±5.2)
b. No	24.4% (±5.7)	25.2% (±7.5)
c. yes	42.2% (±6.5)	43.5% (±8.6)
d. YES!	22.2% (±5.5)	21.4% (±7.1)

Rewards for Prosocial Involvement (Questions 197-200)

[Questions 197-200 appear only on the elementary version of the survey.]

Parental Attitudes Favorable Towards Drug Use (Questions 201-203)

	(n=235)	(n=141)
201. How wrong do your parents feel it would be for you to: Drink beer, wine, or hard liquor (for example vodka, whiskey or gin) regularly (at least once or twice a month)?		
a. Very wrong	76.2% (±5.5)	55.3% (±8.3)
b. Wrong	14.0% (±4.5)	24.8% (±7.2)
c. A little bit wrong	6.8% (±3.2)	12.8% (±5.6)
d. Not wrong at all	3.0% (±2.2)	7.1% (±4.3)
202. How wrong do your parents feel it would be for you to: Smoke cigarettes?	(n=235)	(n=141)
a. Very wrong	91.9% (±3.5)	85.1% (±5.9)
b. Wrong	5.1% (±2.8)	11.3% (±5.3)
c. A little bit wrong	2.6% (±2.0)	2.8% (±2.8)
d. Not wrong at all	0.4% (±0.8)	0.7% (±1.4)

	Grade 10 % (± CI) (n=235)	Grade 12 % (± CI) (n=141)
203. How wrong do your parents feel it would be for you to: Use marijuana?		
a. Very wrong	82.1% (±4.9)	66.0% (±7.9)
b. Wrong	9.4% (±3.8)	22.7% (±7.0)
c. A little bit wrong	4.3% (±2.6)	7.8% (±4.5)
d. Not wrong at all	4.3% (±2.6)	3.5% (±3.1)

School Domain

Academic Failure Questions (Questions 204-205)

204. Putting them all together, what were your grades like last year?	(n=469)	(n=285)
a. Mostly As	52.7% (±4.5)	37.5% (±5.7)
b. Mostly Bs	26.7% (±4.0)	35.1% (±5.6)
c. Mostly Cs	16.2% (±3.3)	21.8% (±4.8)
d. Mostly Ds	3.2% (±1.6)	4.9% (±2.5)
e. Mostly Fs	1.3% (±1.0)	0.7% (±1.0)
205. Are your school grades better than the grades of most students in your class?	(n=232)	(n=140)
a. NO!	7.3% (±3.4)	7.1% (±4.3)
b. No	32.3% (±6.1)	40.7% (±8.2)
c. yes	42.2% (±6.4)	42.1% (±8.3)
d. YES!	18.1% (±5.0)	10.0% (±5.0)

Low Commitment to School (Questions 206-212)

206. How often do you feel the schoolwork you are assigned is meaningful and important?	(n=234)	(n=142)
a. Almost always	8.1% (±3.5)	9.9% (±5.0)
b. Often	28.6% (±5.8)	20.4% (±6.7)
c. Sometimes	41.0% (±6.3)	40.8% (±8.2)
d. Seldom	17.9% (±5.0)	25.4% (±7.2)
e. Never	4.3% (±2.6)	3.5% (±3.1)
207. How interesting are most of your courses to you?	(n=235)	(n=140)
a. Very interesting and stimulating	4.7% (±2.7)	7.9% (±4.5)
b. Quite interesting	29.8% (±5.9)	24.3% (±7.2)
c. Fairly interesting	37.9% (±6.2)	43.6% (±8.3)
d. Slightly dull	20.0% (±5.2)	18.6% (±6.5)
e. Very dull	7.7% (±3.4)	5.7% (±3.9)
208. How important do you think the things you are learning in school are going to be for you later in life?	(n=235)	(n=141)
a. Very important	14.0% (±4.5)	9.9% (±5.0)
b. Quite important	27.2% (±5.7)	27.7% (±7.5)
c. Fairly important	35.3% (±6.2)	30.5% (±7.7)
d. Slightly important	17.4% (±4.9)	24.1% (±7.1)
e. Not at all important	6.0% (±3.0)	7.8% (±4.5)

Think back over the past year in school. How often did you:

	Grade 10	Grade 12
	% (± CI) (n=471)	% (± CI) (n=285)
209. Enjoy being in school?		
a. Never	9.6% (±2.7)	9.8% (±3.5)
b. Seldom	17.8% (±3.5)	20.7% (±4.7)
c. Sometimes	39.9% (±4.4)	41.1% (±5.7)
d. Often	25.3% (±3.9)	21.8% (±4.8)
e. Almost always	7.4% (±2.4)	6.7% (±2.9)
210. Hate being in school?	(n=235)	(n=141)
a. Never	9.8% (±3.8)	9.9% (±5.0)
b. Seldom	22.6% (±5.4)	20.6% (±6.8)
c. Sometimes	38.3% (±6.3)	36.9% (±8.1)
d. Often	17.4% (±4.9)	22.7% (±7.0)
e. Almost always	11.9% (±4.2)	9.9% (±5.0)
211. Try to do your best work in school?	(n=235)	(n=141)
a. Never	1.7% (±1.7)	0.7% (±1.4)
b. Seldom	3.8% (±2.5)	4.3% (±3.4)
c. Sometimes	21.3% (±5.3)	21.3% (±6.8)
d. Often	36.2% (±6.2)	33.3% (±7.9)
e. Almost always	37.0% (±6.2)	40.4% (±8.2)
212. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	(n=234)	(n=142)
a. None	87.2% (±4.3)	77.5% (±7.0)
b. 1	4.7% (±2.7)	9.9% (±5.0)
c. 2	1.3% (±1.5)	6.3% (±4.1)
d. 3	3.4% (±2.3)	3.5% (±3.1)
e. 4-5	2.1% (±1.9)	2.1% (±2.4)
f. 6-10	0.0% (±0.0)	0.7% (±1.4)
g. 11 or more	1.3% (±1.5)	0.0% (±0.0)

Opportunities for Prosocial Involvement (Questions 213-217)

213. In my school, students have lots of chances to help decide things like class activities and rules.	(n=234)	(n=140)
a. NO!	11.1% (±4.1)	7.1% (±4.3)
b. No	29.1% (±5.9)	36.4% (±8.1)
c. yes	49.1% (±6.5)	49.3% (±8.4)
d. YES!	10.7% (±4.0)	7.1% (±4.3)
214. There are lots of chances for students in my school to talk with a teacher one-on-one.	(n=234)	(n=141)
a. NO!	1.7% (±1.7)	2.1% (±2.4)
b. No	12.0% (±4.2)	8.5% (±4.7)
c. yes	59.0% (±6.3)	69.5% (±7.7)
d. YES!	27.4% (±5.8)	19.9% (±6.7)
215. Teachers ask me to work on special classroom projects.	(n=233)	(n=141)
a. NO!	9.4% (±3.8)	12.8% (±5.6)
b. No	60.9% (±6.3)	58.9% (±8.2)
c. yes	23.6% (±5.5)	27.0% (±7.4)
d. YES!	6.0% (±3.1)	1.4% (±2.0)

	Grade 10	Grade 12
	% (± CI) (n=234)	% (± CI) (n=141)
216. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.		
a. NO!	0.0% (±0.0)	1.4% (±2.0)
b. No	3.4% (±2.3)	2.1% (±2.4)
c. yes	35.0% (±6.2)	47.5% (±8.3)
d. YES!	61.5% (±6.3)	48.9% (±8.4)
217. I have lots of chances to be part of class discussions or activities.	(n=233)	(n=141)
a. NO!	1.7% (±1.7)	2.1% (±2.4)
b. No	8.6% (±3.6)	12.8% (±5.6)
c. yes	59.7% (±6.3)	66.7% (±7.9)
d. YES!	30.0% (±5.9)	18.4% (±6.5)

Rewards for Prosocial Involvement (Questions 218-221)

218. My teacher(s) notices when I am doing a good job and lets me know about it.	(n=232)	(n=139)
a. NO!	6.9% (±3.3)	5.0% (±3.7)
b. No	32.8% (±6.1)	33.8% (±8.0)
c. yes	51.7% (±6.5)	54.0% (±8.4)
d. YES!	8.6% (±3.6)	7.2% (±4.3)
219. The school lets my parents know when I have done something well.	(n=232)	(n=139)
a. NO!	23.7% (±5.5)	20.9% (±6.8)
b. No	49.1% (±6.5)	52.5% (±8.4)
c. yes	23.7% (±5.5)	23.0% (±7.1)
d. YES!	3.4% (±2.4)	3.6% (±3.1)
220. I feel safe at my school.	(n=474)	(n=288)
a. NO! ^{AC} /Definitely NOT true ^B	3.8% (±1.7)	3.5% (±2.1)
b. no ^{AC} /Mostly not true ^B	12.9% (±3.0)	10.1% (±3.5)
c. yes ^{AC} /Mostly true ^B	63.9% (±4.3)	63.9% (±5.6)
d. YES! ^{AC} /Definitely true ^B	19.4% (±3.6)	22.6% (±4.9)
221. My teachers praise me when I work hard in school.	(n=233)	(n=140)
a. NO!	12.4% (±4.3)	10.7% (±5.2)
b. No	44.6% (±6.4)	47.9% (±8.4)
c. yes	35.2% (±6.2)	36.4% (±8.1)
d. YES!	7.7% (±3.5)	5.0% (±3.7)

Peer and Individual Domain

Perceived Risk of Drug Use (Questions 222-225)

How much do you think people risk harming themselves if they:

222. Smoke one or more packs of cigarettes per day?	(n=235)	(n=142)
a. No risk	0.9% (±1.2)	3.5% (±3.1)
b. Slight risk	3.4% (±2.3)	1.4% (±2.0)
c. Moderate risk	8.9% (±3.7)	12.0% (±5.4)
d. Great risk	83.8% (±4.7)	78.2% (±6.9)
e. Not sure	3.0% (±2.2)	4.9% (±3.6)

	Grade 10	Grade 12
	% (± CI) (n=235)	% (± CI) (n=142)
223. Try marijuana once or twice?		
a. No risk	24.7% (±5.6)	40.1% (±8.2)
b. Slight risk	33.6% (±6.1)	31.7% (±7.7)
c. Moderate risk	19.6% (±5.1)	13.4% (±5.7)
d. Great risk	19.1% (±5.1)	11.3% (±5.3)
e. Not sure	3.0% (±2.2)	3.5% (±3.1)
224. Use marijuana regularly (at least once or twice a week)?	(n=235)	(n=142)
a. No risk	8.9% (±3.7)	12.0% (±5.4)
b. Slight risk	14.9% (±4.6)	23.2% (±7.0)
c. Moderate risk	27.7% (±5.8)	37.3% (±8.1)
d. Great risk	44.3% (±6.4)	23.2% (±7.0)
e. Not sure	4.3% (±2.6)	4.2% (±3.3)
225. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?	(n=235)	(n=142)
a. No risk	1.7% (±1.7)	3.5% (±3.1)
b. Slight risk	8.1% (±3.5)	13.4% (±5.7)
c. Moderate risk	27.2% (±5.7)	39.4% (±8.1)
d. Great risk	59.1% (±6.3)	40.8% (±8.2)
e. Not sure	3.8% (±2.5)	2.8% (±2.8)

Early Initiation of Drug Use (Questions 226-229)

How old were you the first time you:

226. Used marijuana?	(n=473)	(n=281)
a. Never have	79.9% (±3.6)	65.1% (±5.6)
b. 10 or younger	0.8% (±0.8)	0.4% (±0.7)
c. 11	0.6% (±0.7)	1.1% (±1.2)
d. 12	1.1% (±0.9)	0.0% (±0.0)
e. 13	2.5% (±1.4)	1.8% (±1.6)
f. 14	8.7% (±2.5)	8.9% (±3.3)
g. 15	5.9% (±2.1)	8.9% (±3.3)
h. 16	0.0% (±0.0)	9.3% (±3.4)
i. 17 or older	0.4% (±0.6)	4.6% (±2.5)
227. Smoked a cigarette, even just a puff?	(n=233)	(n=136)
a. Never have	89.7% (±3.9)	80.9% (±6.7)
b. 10 or younger	1.7% (±1.7)	3.7% (±3.2)
c. 11	0.4% (±0.8)	0.7% (±1.5)
d. 12	0.9% (±1.2)	0.7% (±1.5)
e. 13	0.4% (±0.8)	2.9% (±2.9)
f. 14	3.4% (±2.4)	1.5% (±2.0)
g. 15	3.4% (±2.4)	4.4% (±3.5)
h. 16	0.0% (±0.0)	3.7% (±3.2)
i. 17 or older	0.0% (±0.0)	1.5% (±2.0)

	Grade 10	Grade 12
	% (± CI) (n=475)	% (± CI) (n=282)
228. Had more than a sip or two of beer, wine, or hard liquor (for example vodka, whiskey, or gin)?		
a. Never have	58.9% (±4.4)	44.0% (±5.8)
b. 10 or younger	6.1% (±2.2)	6.7% (±2.9)
c. 11	2.7% (±1.5)	1.8% (±1.5)
d. 12	4.2% (±1.8)	1.1% (±1.2)
e. 13	6.1% (±2.2)	3.5% (±2.2)
f. 14	11.2% (±2.8)	5.7% (±2.7)
g. 15	10.1% (±2.7)	16.7% (±4.4)
h. 16	0.6% (±0.7)	12.8% (±3.9)
i. 17 or older	0.0% (±0.0)	7.8% (±3.1)
229. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?		
	(n=233)	(n=133)
a. Never have	89.3% (±4.0)	76.7% (±7.3)
b. 10 or younger	0.0% (±0.0)	0.8% (±1.5)
c. 11	0.9% (±1.2)	0.0% (±0.0)
d. 12	0.9% (±1.2)	0.8% (±1.5)
e. 13	0.4% (±0.8)	0.0% (±0.0)
f. 14	5.6% (±3.0)	1.5% (±2.1)
g. 15	3.0% (±2.2)	3.8% (±3.3)
h. 16	0.0% (±0.0)	8.3% (±4.7)
i. 17 or older	0.0% (±0.0)	8.3% (±4.7)

Favorable Attitudes Toward Drug Use (Questions 230-233)

230. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?	(n=228)	(n=133)
a. Very wrong	53.5% (±6.5)	30.1% (±7.9)
b. Wrong	24.1% (±5.6)	32.3% (±8.1)
c. A little bit wrong	15.4% (±4.7)	27.1% (±7.6)
d. Not wrong at all	7.0% (±3.3)	10.5% (±5.3)

How wrong do YOU think it is for someone your age to:

230. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?	(n=228)	(n=133)
a. Very wrong	53.5% (±6.5)	30.1% (±7.9)
b. Wrong	24.1% (±5.6)	32.3% (±8.1)
c. A little bit wrong	15.4% (±4.7)	27.1% (±7.6)
d. Not wrong at all	7.0% (±3.3)	10.5% (±5.3)

232. Use marijuana?	(n=229)	(n=134)
a. Very wrong	48.5% (±6.5)	27.6% (±7.7)
b. Wrong	21.8% (±5.4)	31.3% (±8.0)
c. A little bit wrong	16.2% (±4.8)	22.4% (±7.1)
d. Not wrong at all	13.5% (±4.5)	18.7% (±6.7)

233. Use LSD, cocaine, amphetamines, or another illegal drug?	(n=230)	(n=134)
a. Very wrong	79.6% (±5.3)	71.6% (±7.7)
b. Wrong	10.0% (±3.9)	14.9% (±6.1)
c. A little bit wrong	4.8% (±2.8)	9.0% (±4.9)
d. Not wrong at all	5.7% (±3.0)	4.5% (±3.5)

Friends Use Drugs (Questions 234-237)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...

	Grade 10	Grade 12
	% (± CI) (n=222)	% (± CI) (n=128)
234. Smoked cigarettes?		
a. None of my friends	85.6% (±4.7)	78.9% (±7.2)
b. 1 of my friends	7.7% (±3.5)	12.5% (±5.8)
c. 2 of my friends	3.2% (±2.3)	3.9% (±3.4)
d. 3 of my friends	1.4% (±1.5)	1.6% (±2.2)
e. 4 of my friends	2.3% (±2.0)	3.1% (±3.1)
235. Tried beer, wine, or hard liquor (for example vodka, whiskey, or gin) when their parents didn't know about it?	(n=223)	(n=127)
a. None of my friends	60.5% (±6.5)	43.3% (±8.7)
b. 1 of my friends	14.3% (±4.6)	18.1% (±6.8)
c. 2 of my friends	7.6% (±3.5)	18.1% (±6.8)
d. 3 of my friends	8.1% (±3.6)	7.1% (±4.5)
e. 4 of my friends	9.4% (±3.9)	13.4% (±6.0)
236. Used marijuana?	(n=222)	(n=127)
a. None of my friends	66.2% (±6.3)	48.0% (±8.8)
b. 1 of my friends	13.5% (±4.5)	20.5% (±7.1)
c. 2 of my friends	7.2% (±3.4)	12.6% (±5.9)
d. 3 of my friends	5.4% (±3.0)	7.1% (±4.5)
e. 4 of my friends	7.7% (±3.5)	11.8% (±5.7)
237. Used LSD, cocaine, amphetamines, or other illegal drugs?	(n=222)	(n=127)
a. None of my friends	91.4% (±3.7)	88.2% (±5.7)
b. 1 of my friends	3.6% (±2.5)	7.9% (±4.7)
c. 2 of my friends	1.8% (±1.8)	0.8% (±1.6)
d. 3 of my friends	1.4% (±1.5)	2.4% (±2.7)
e. 4 of my friends	1.8% (±1.8)	0.8% (±1.6)

Interaction with Prosocial Peers (Questions 238-242)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...

	(n=224)	(n=129)
238. Participated in clubs, organizations or activities at school?		
a. None of my friends	9.8% (±3.9)	10.9% (±5.4)
b. 1 of my friends	10.3% (±4.0)	17.8% (±6.7)
c. 2 of my friends	14.7% (±4.7)	15.5% (±6.3)
d. 3 of my friends	16.5% (±4.9)	12.4% (±5.8)
e. 4 of my friends	48.7% (±6.6)	43.4% (±8.7)
239. Made a commitment to stay drug-free?	(n=220)	(n=128)
a. None of my friends	21.8% (±5.5)	33.6% (±8.3)
b. 1 of my friends	10.9% (±4.2)	11.7% (±5.6)
c. 2 of my friends	9.1% (±3.8)	11.7% (±5.6)
d. 3 of my friends	9.1% (±3.8)	9.4% (±5.1)
e. 4 of my friends	49.1% (±6.7)	33.6% (±8.3)

	Grade 10 % (± CI) (n=222)	Grade 12 % (± CI) (n=129)
240. Liked school?		
a. None of my friends	29.7% (±6.1)	29.5% (±8.0)
b. 1 of my friends	14.9% (±4.7)	22.5% (±7.3)
c. 2 of my friends	16.2% (±4.9)	14.7% (±6.2)
d. 3 of my friends	14.4% (±4.7)	17.1% (±6.6)
e. 4 of my friends	24.8% (±5.7)	16.3% (±6.5)
241. Regularly attended religious services?	(n=221)	(n=127)
a. None of my friends	26.2% (±5.8)	36.2% (±8.5)
b. 1 of my friends	30.8% (±6.1)	34.6% (±8.4)
c. 2 of my friends	19.0% (±5.2)	13.4% (±6.0)
d. 3 of my friends	10.0% (±4.0)	5.5% (±4.0)
e. 4 of my friends	14.0% (±4.6)	10.2% (±5.3)
242. Tried to do well in school?	(n=222)	(n=128)
a. None of my friends	4.1% (±2.6)	7.8% (±4.7)
b. 1 of my friends	4.5% (±2.7)	6.3% (±4.3)
c. 2 of my friends	4.5% (±2.7)	8.6% (±4.9)
d. 3 of my friends	15.3% (±4.8)	20.3% (±7.1)
e. 4 of my friends	71.6% (±6.0)	57.0% (±8.7)

Belief in the Moral Order (Questions 243-246)

243. I think it is okay to take something without asking as long as you get away with it.	(n=234)	(n=141)
a. NO!	46.2% (±6.4)	44.7% (±8.3)
b. No	42.7% (±6.4)	44.0% (±8.3)
c. yes	9.0% (±3.7)	7.1% (±4.3)
d. YES!	2.1% (±1.9)	4.3% (±3.4)
244. I think sometimes it's okay to cheat at school.	(n=234)	(n=138)
a. NO!	33.8% (±6.1)	34.1% (±8.0)
b. No	40.6% (±6.3)	45.7% (±8.4)
c. yes	20.9% (±5.3)	17.4% (±6.4)
d. YES!	4.7% (±2.7)	2.9% (±2.8)
245. It is all right to beat up people if they start the fight.	(n=235)	(n=139)
a. NO!	27.7% (±5.8)	26.6% (±7.4)
b. No	29.8% (±5.9)	25.9% (±7.4)
c. yes	26.0% (±5.6)	33.8% (±8.0)
d. YES!	16.6% (±4.8)	13.7% (±5.8)
246. It is important to be honest with your parents, even if they become upset or you get punished.	(n=233)	(n=139)
a. NO!	6.0% (±3.1)	7.9% (±4.5)
b. No	14.6% (±4.6)	12.9% (±5.7)
c. yes	49.8% (±6.5)	54.7% (±8.4)
d. YES!	29.6% (±5.9)	24.5% (±7.2)

Prosocial Involvement (Questions 247-249)

[Questions 247-249 appear only on the elementary version of the survey.]

Social Skills (Questions 250-252)

250. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?

	Grade 10	Grade 12
	% (± CI) (n=224)	% (± CI) (n=129)
a. Ignore her	20.1% (±5.3)	21.7% (±7.2)
b. Grab a CD and leave the store	7.1% (±3.4)	8.5% (±4.9)
c. Tell her to put the CD back	39.7% (±6.5)	44.2% (±8.7)
d. Act like it's a joke and ask her to put the CD back	33.0% (±6.2)	25.6% (±7.6)

251. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?

	(n=224)	(n=128)
a. Push the person back	8.5% (±3.7)	13.3% (±6.0)
b. Say nothing and keep on walking	52.7% (±6.6)	47.7% (±8.8)
c. Say, "Watch where you're going," and keep on walking	25.4% (±5.7)	30.5% (±8.1)
d. Swear at the person and walk away	13.4% (±4.5)	8.6% (±4.9)

252. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?

	(n=224)	(n=128)
a. Drink it	21.4% (±5.4)	28.9% (±8.0)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	42.4% (±6.5)	23.4% (±7.4)
c. Just say, "No, thanks," and walk away	22.8% (±5.5)	36.7% (±8.5)
d. Make up a good excuse, tell your friend you had something else to do, and leave	13.4% (±4.5)	10.9% (±5.5)

Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

Abuse 125-129	Nutrition
Activities and Clubs 96, 180-182, 238	Breakfast 81
Alcohol	Food insecurity 78-79
Access 55, 169	Fruit/Vegetable servings 80
Age at first use 228-229	Junk food 87
Consequences 75	Soda and Sugar Drinks 82-84
Current use 31, 52-53	Other Drugs
Drinking and driving 113, 115	Access 172
Family influence 56-57, 190-191, 201	Consequences 75
Lifetime use 18	Current use 33-36
Perceived norms 59-60, 62, 174, 176, 230, 235	Family influence 72, 190
Perceived risks 61, 225	Lifetime use 20-24
Prevention/intervention 71, 154	Perceived norms 73, 233, 237
Use at school 58, 70	Perceived risks 74
Usual type 54	Prevention/intervention 71, 154, 239
Asthma 97-98	Use at school 70
Bullying/Harassment 146-153	Quality of Life 162-167
Demographics 1, 3-6, 8-9	Safety-related Behaviors
Family	Swimming 108-109
Food insecurity 78-79	Wearing Safety Gear 107
Living situations 10-13	School Climate
Military service 14	Absence 101, 151, 193, 212
Mother's education 8	Achievement 204-205
Fighting 121, 245	After-school activities 96, 180-182, 238
Fitness	Bullying/harassment 146-151
Physical activity 88-91, 94-95	Counseling and support 139-140, 154-157
Sedentary behavior 92-93	Engagement 206-211, 213-219, 221, 240, 242, 248
Gambling 145	Nutrition 13, 83-84, 87
Gangs 122-123	Physical activity 90-91, 94-95
HIV/STD/Pregnancy Prevention 158-160	Prevention/intervention 71, 140, 154
Health or Health Care	Safety at 151, 220
Oral Health 99-100	Substance use at 46, 48, 58, 68, 70
Sleep 102	Weapons at 118
Honesty 15, 243-244, 246	Sexual Behaviors 103-106
Marijuana	Sexual Orientation 9
Access 63, 171	Social and Emotional Learning 141-144
Age at first use 226	Substance Use Prevention 71, 154
Current use 32, 65	Texting and Driving 110, 112
Family influence 66-67, 203	Tobacco and Electronic Cigarettes/Vaping
Lifetime use 19	Access 44, 50, 170
Perceived norms 69, 173, 178, 232, 236	Age at first use 47, 227
Perceived risks 223-224	Current use 26-30
Use at school 68, 70	Family 39, 202
Using and driving 116-117	Lifetime use 16-17
Usual type 64	Perceived norms 45, 175, 231, 234
Mental Health	Perceived risks 51, 222
Anxiety and worry 136-137	Prevention/intervention 43, 154
Depression 130	Secondhand smoke 37, 39
Help with mental health 138-140	Susceptibility to smoking 40-42
Suicide 131-133	Use at school 46, 48
	Usual type 49
	Weapons 118, 120, 177, 192
	Weight and Weight Loss 76-77
	Work 161

Core Questions

"Core" questions that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

Activities	School Climate
Participation in after school activities 96	Been bullied (past 30 days) 143
Alcohol	Enjoyed being in school (past 12 months) 209
Age when first drank alcohol 228	Feel safe at school 220
Binge drinking 52	Grades in school (past 12 months) 204
Current alcohol drinking (past 30 days) 31	Participation in after school activities 96
Levels of alcohol use 53	Weapon carrying on school property (past 12 months) 118
Lifetime alcohol use 18	
Bullying	Texting and Driving
Been bullied (past 30 days) 146	Texting and driving (past 30 days) 112
Demographics	Tobacco
Age 1	Current cigarette smoking (past 30 days) 26
Education level of mother 8	Weapons
Food insecurity 79	Weapon carrying on school property (past 12 months) 118
Gender 3	
Language spoken in home 6	
Loss of home due to family finances 12	
Race/Ethnicity 4	
Where you live 11	
Who you live with 10	
Fighting	
Physical fighting (past 12 months) 121	
Gangs	
Gang involvement 122	
Gangs at school 123	
Honesty	
Honesty in completing survey 15	
Marijuana	
Age when first used marijuana 226	
Current marijuana use (past 30 days) 32	
Lifetime marijuana use 19	
Mental Health	
Bothered by anxiety 136	
Bothered by worrying 137	
Depression (past 12 months) 130	
Person(s) turned to when depressed 139	
Seriously considered attempting suicide 131	
Other Drugs	
Current painkiller use (past 30 days) 35	

For more information on which survey forms each question was on, see the Survey Crosswalk at www.AskHYS.net, under HYS Results - QxQ