A Month as a Time

From Conception to Birth

Study guide

Complete the chart below. Every fetus is unique and has its own growth pattern. This chart shows the <u>general</u> development of the average fetus. The same is true for the effects the pregnancy will have on the mother.

| 1 st Trimester | |
|---------------------------|-------------------|
| | Effects on Mother |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| A. 1st Month (0-6 weeks) | |
| A. 1 Wolldi (0-0 weeks) | Fetal Development |
| I | Setai Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| B. 2 nd Month (5-8 weeks) | |
|---------------------------------------|-------------------|
| | Fetal Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| C. 3 rd Month (9-12 weeks) | |
| C. 3 Month (3 12 weeks) | Fetal Development |
| | * |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 2 nd Trimester | |
| Z Trimester | Effects on Mother |
| | Directs on Mother |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| D. 4 th Month (13-16 weeks) | |
|--|-------------------|
| | Fetal Development |
| | • |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| E. 5 th Month (17-20 weeks) | |
| | Fetal Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| F. 6 th Month (21-24 weeks) | |
| | Fetal Development |
| | Tem Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| 3 rd Trimester | |
|--|-------------------|
| | Effects on Mother |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| G. 7 th Month (25-28 weeks) | |
| 3. / Wellan (23 26 Wells) | Fetal Development |
| | • |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 8th Month (29-32 weeks) | |
| | Fetal Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Η. | 9th Month (33 weeks-Delivery) |
|----|--|
| | Fetal Development |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| I. | Birth |
| | Full-term pregnancy = weeks. |
| | A premature baby is defined as: |
| | |
| | How is a premature baby cared for? |
| | |
| | |
| | Pain Relief Methods: |
| | |
| | |
| | Episiotomy: |
| | Forceps: |
| | Forceps. |
| | Beginning signs of labor: |
| | |
| | |
| | |
| | How do contractions develop or change over the course of labor and delivery? |
| | |
| | |
| | 1st stage of Labor (list characteristics): |
| | |
| | 2 nd stage of Labor (list characteristics): |
| | 2 Suge of Lavor (list characteristics). |
| | |
| | 3 rd stage of Labor (list characteristics): |

| | List the 5 apgar scores, the points and how they are assessed. |
|----|--|
| | When do they perform apgar assessments? |
| J. | Your New Family: Postpartum: |
| | Mother's Physical Adjustments: |
| | |
| | Father's Adjustments: |
| | Sibling Adjustments: |
| | |
| | |
| | |